

ROLLERS

RECOMMENDED TUBE SPECIFICATION GUIDE

The chart below outlines the popular aluminium tubes available in the Acmeda roller range, with the recommended maximum width and relative drop capacity.

SIZE	SYSTEM	TUBE DESCRIPTION	OD (mm)	PRODUCT CODE	RECOMMENDED MAXIMUM	
					DROP	WIDTH
SMALL	S35	Standard T-SPLINE	33	RB93-0333-000580	2.0m	1.7m
	S35	Heavy Duty T-SPLINE	34	RB93-0335-000580	2.0m	2.0m
MEDIUM	S40	Flat Spline	39	RB91-0237-000580	2.5m	1.9m
	S40	Standard T-SPLINE	40	RB93-0440-000580	2.5m	1.9m
	S40	Flat Spline	40	RB91-0240-000550	2.5m	2.1m
	S45	Light T-SPLINE	43	RB93-0443-000580	3.0m	2.1m
	S45	Standard T-SPLINE	44	RB93-0444-000580	3.0m	2.3m
	S45	Heavy Duty T-SPLINE	49	RB93-0449-000580	3.0m	2.7m
LARGE	S60	Standard	60	RB91-0260-000580	4.0m	3.0m
	S60	Light	80	RB93-0282-000580	5.0m	3.7m
	S60	Heavy Duty	80	RB91-0280-000580	5.0m	3.9m
EXTREME	S100	Standard	110	RB93-0110-096600	8.0m	4.8m
	S100	Heavy Duty	130	RB93-0130-096600	8.0m	5.8m
	S100	Extra Heavy Duty	160	RB93-0160-096680	8.0m	6.8m


The maximum tube width & drop recommendations above are based on;

- 420gsm fabric
- Weight bar specific to system (without ballast)
- Maximum width is dictated by the maximum drop specified for each system

ROLLERS

RECOMMENDED TUBE SPECIFICATION GUIDE


S35 TUBES



S35 STANDARD
T-Spline Tube

CODE: RB93-0333-000580
RB93-6333-000580
(with D/S tape)

O.D: 33mm
Length: 5.8metres



S35 HEAVY DUTY
T-Spline Tube

CODE: RB93-0335-000580
RB93-6335-000580
(with D/S tape)

O.D: 34mm
Length: 5.8metres

S40 TUBES



S40 | 39SPLINE
Aluminium Tube

CODE: RB91-0237-000480
RB91-6237-000480
(with D/S tape)

O.D: 39mm
Length: 4.8 metres



S40 | 39KEYWAY
Aluminium Tube

CODE: RB91-0238-000550
RB91-6238-000550
(with D/S tape)

O.D: 39mm
Length: 5.5 metres




S40 | 40 HEAVY DUTY
Aluminium Tube

CODE: RB91-0240-000550

O.D: 40mm
Length: 5.5 metres


S45 TUBES



S45 LIGHT
T-Spline Tube

CODE: RB93-0443-000580
RB93-6443-000580
(with D/S tape)


O.D: 43mm
Length: 5.8metres



S45 STANDARD
T-Spline Tube

CODE: RB93-0444-000580
RB93-6444-000580
(with D/S tape)

O.D: 44mm
Length: 5.8metres




S45 HEAVY DUTY
T-Spline Tube

CODE: RB93-0449-000580
RB93-6449-000580
(with D/S tape)

O.D: 49mm
Length: 5.8metres


S60 TUBES



S60 | 60 STANDARD Tube

CODE: RB91-0260-000580


O.D: 60mm
Length: 5.8metres



S60 | 80 LIGHT Tube

CODE: RB93-0282-000580

O.D: 80mm
Length: 5.8metres




S60 | 80 HEAVY DUTY Tube

CODE: RB91-0280-000480 - 4.8m
RB91-0280-000580 - 5.8m

O.D: 80mm
Length: 4.8 & 5.8metres


S100 TUBES



S100 | 110 STANDARD

CODE: RB93-0110-000600


O.D: 110mm
Length: 6metres



S100 | 130 HEAVY DUTY

CODE: RB93-0130-000700

O.D: 130mm
Length: 7metres



S100 | 160 EXTRA HEAVY DUTY

CODE: RB93-0160-000700

O.D: 160mm
Length: 6.8metres