



CUTTING TABLE
3900|series

CUTTING TABLE

3900|series



Automated Positional Backstop System (1)

THE 3900|series CUTTING TABLE IS THE PERFECT ENTRY-LEVEL FABRIC CUTTING TABLE FOR ANY BLIND PRODUCTION WORKROOM. CONSTRUCTED WITH PRECISION-BUILD STANDARDS, THE 3900 COMBINES AN EFFICIENT STEP-BY-STEP OPERATION WITH MARKET LEADING CRUSH CUTTING AND ULTRASONIC TECHNOLOGIES TO DELIVER A COST-EFFECTIVE QUALITY SOLUTION. SEVERAL UPGRADES ARE AVAILABLE, GIVING YOU THE FLEXIBILITY TO ADVANCE YOUR MACHINE AS YOUR BUSINESS EXPANDS.

Crush Cutting Head (2)



Free Spinning Fabric Rollers (3)



FEATURES

- 4.2m Cutting width capacity
- 4.8m Table length (expandable to 6m - 12m)
- Exclusive friction driven Crush Cutting Unit (2)
- Optional Ultrasonic & Knife cutting devices (5)
- Two minute changeover cutting method
- High tensile Aluminium frame
- Full length manual backstop
- Stainless Steel fabric rollers (3)
- Manufactured to Australian Machine Building standards AS4024 & Safety Category Class 2
- Safety features include: Emergency stop and low voltage wiring
- CE Certified
- One year Warranty
- Full Service and Parts Back-up



Touch Screen Control Panel (4)



Ultrasonic Cutting System (5)



Basic Table With Automated Back Stop & Ultrasonic Cutting System

UPGRADES

Motorised Rollers

Convenient automated fabric feeding system.

Motorised Rollers with Edge Control

Advanced roller technology ensuring straight edge fabric alignment with minimal effort.

Ultrasonic Cutting System

Powerful yet low maintenance cutting system, able to seal fabric edges and minimise running expenses.

Knife Cutting System

Scissor blade design, perfect for thicker or heavier fabrics.

Work Sheet Stand

Built-in flat stand integrated above control panel for operation work sheets.

Light Box

Specifically designed for detailed fabric fault inspection.

Automated Positional Backstop system

Automatic measuring device with touch screen control panel (4) and lifting square edge for easier fabric rotation.

DIMENSIONS

Width: 4.8mt

TABLE LENGTH AVAILABLE IN THE FOLLOWING SIZES

3.6mt, 4.8mt (standard) & 6.0mt or larger upon request

POWER REQUIREMENTS

240V - 50/60Hz

MINIMUM AIR PRESSURE REQUIREMENTS

15cfm compressor



Basic Table With Automated Back Stop & Ultrasonic Cutting System