

ZIPSCR = N.











SUN & WIND PROTECTION

PROTECTION


ALL SEASONS LIVING

DESIGN INNOVATION

EASY TO CONTROL



Zipscreen® is the ultimate external screening solution for any outdoor area or window. Specially designed for alfresco, veranda, and balcony applications, Zipscreen offers privacy and protection from the sun, wind, rain, and insects all year round. Custom built, Zipscreen systems can be made in widths of up to 5.8m and of drops up to 4m, or an impressive 7m with Zipscreen Extreme, offering an external solution to fit almost any area.



The innovative Ultra-Lock

Our patented, new Ultra-Lock boasts adaptive locking technology, which allows the shade position to be easily reset if simultaneous locking is interrupted by unexpected weather conditions or obstacles. A stronger heavy duty latching pin combined with a hidden integrated design ensures a reliable solution, that can be preassembled off-site, for a quick & easy installation.

PVC Screen compatible

Introducing a completely transparent external solution. Zipscreen is compatible with clear, dimensionally stable PVC configurations. PVC creates a completely rain and weather-proof barrier, while also remaining perfectly clear.

Visit Zipscreen Consumer Site



Drop Awnings





Straight Drop

The Straight Drop system is an entry-level outdoor shading solution that is suitable for a variety of external residential or commercial applications - sliding windows, doorways, undercover and outdoor areas. Our Straight Drop system is simple in its design and installation, creating a minimal aesthetic and cost-effective solution.


Wire Guide

A discreet wire guided solution, great for floor to ceiling applications. Featuring a universal bracket to fix the base of the wire guide to the floor, face or recess. The Wire Guide system utilises compression springs to tension the wire, ensuring a smooth and steady guide for the fabric. Wire tension is quick and easy to adjust.



Pivot Arm

The Pivot Arm awning system is ideal for windows on first or second story levels. Pivot Arm features a robust spring-loaded arm and perfectly maintains fabric tension in all positions.



Piuma

Open Awning



- Cost-effective
- Square-shaped cable arms
- Small to medium sized applications

Span: Up to 7 metres
Projection: 3 metres
Pitch: 5° to 90°

Kumo Cassette awning



- Minimal components
- Easy to assemble
- Top or face fix

Span: Up to 6m **Projection:** 3m

Pitch: 5° to 85°

Feng Cassette awning





- Flagship awning
- Integrated LED lightning
- Use for day and night

Span: Up to 7m width Projection: 3.7m Pitch: 3° to 35° w/ LED or 45°









