


2025 Catalog

### **Collection Index**



### Kleenscreen Blackout





**ROLLER** 


**PANEL** 

Kleenscreen Blackout combines the functionality and durability of a typical solar screen with the privacy of a 100% blackout fabric. The unique formulation of the yarn eliminates the need for a blackout coating, thereby keeping the blackout fabric the same on both sides and making it highly suitable for open roll systems. Featuring Sanitized®, Kleenscreen Blackout inhibits the development of bacterial odors as well as the growth of mold and mildew on your fabric. Easy to weld and easy to clean, Kleenscreen Blackout provides a practical solution for any residential or commercial interior space.















Black Graphite



Composition	25% Polyester, 75% PVC		
Openness	Blackout		
Width(s)	118" (3m)		
30yd/roll (27.4m)	30yd/roll (27.4m)		
Weight	16.96oz/yd2 (575 g/m2)		
Thickness	0.027in (.69mm)		
Fire Classification	NFPA 701		
Fungal/Bacterial Resistance	ASTM E2180 and G21		
Railroadable	No		
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI-FREE FREE FREE FREE FREE BACTERIAL SAVING WARRANTY PRINTABLE		
Certifications	CHENCUMB EPD® STANDARD 14001 9001		

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
091003000ICE	Ice	118			
091003000BAR	Barley	118			
091003000PUM	Pumice	118			
091003000ALL	Alloy	118			
091003000SHA	Shale	118			
091003000GRA	Graphite	118			
091003000BLA	Black	118			

# Kleenscreen 1%





**ROLLER** 

Kleenscreen with Sanitized® Protection inhibits the growth of bacteria, mold and mildew on your fabric. This unique antimicrobial hygiene function enhances the performance of your shades for comfort and peace of mind. Kleenscreen's performance against solar heat and glare also make this an eco-friendly and cost saving solution for any space.









Barley



Alloy



Canyon



Graphite



Ash



Raven



Black



Composition	26% Polyester, 74% PVC		
Openness	1%		
Width(s)	98.4" (2.5m), 118" (3m)		
Length	33 yd/roll (30m)		
Weight	14.25oz/yd2 (483g/m2)		
Thickness	0.024in (.60mm)		
Fire Classification	NFPA 701		
Fungal/Bacterial Resistance	ASTM E2180 and G21		
Railroadable	No		
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FREE FREE FREE FREE BACTERIAL SAVING WARRANTY  PRINTABLE		
Certifications	CRENCULARS EPD® TEXP STANDARD 14001 9001		

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
091012500M16	Barley	98.4			
091012500M18	Black	98.4			
091012500M19	Graphite	98.4			
091012500M36	Pure White	98.4			
091012500M37	Alloy	98.4			
091012500M46	Canyon	98.4			
091012500M47	Raven	98.4			
091012500M49	Ash	98.4			
091013000M16	Barley	118			
091013000M18	Black	118			
091013000M19	Graphite	118			
091013000M36	Pure White	118			
091013000M37	Alloy	118			
091013000M46	Canyon	118			
091013000M47	Raven	118			
091013000M49	Ash	118			

## Kleenscreen 3%





**PANEL ROLLER** 


Kleenscreen with Sanitized® Protection inhibits the growth of bacteria, mold and mildew on your fabric. This unique antimicrobial hygiene function enhances the performance of your shades for comfort and peace of mind. Kleenscreen's performance against solar heat and glare also make this an eco-friendly and cost saving solution for any space.




Pure White



Barley



Alloy



Canyon



Raven



Black



Composition	26% Polyester, 74% PVC		
Openness	3%		
Width(s)	98.4" (2.5m), 118" (3m)		
Length	33 yd/roll (30m)		
Weight	14.01oz/yd2 (475g/m2)		
Thickness	0.022in (.56mm)		
Fire Classification	NFPA 701		
Fungal/Bacterial Resistance	ASTM E2180 and G21		
Railroadable	No		
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.		
Technical & Quality Data	Visit texstyle.com for full details		
Features			
	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- ENERGY 10 YEAR PRINTABLE FREE FREE FREE BACTERIAL SAVING WARRANTY		
Certifications	EPD® STANDARD 14001 9001		

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
091032500M16	Barley	98.4			
091032500M18	Black	98.4			
091032500M19	Graphite	98.4			
091032500M36	Pure White	98.4			
091032500M37	Alloy	98.4			
091032500M46	Canyon	98.4			
091032500M47	Raven	98.4			
091032500M49	Ash	98.4			
091033000M16	Barley	118			
091033000M18	Black	118			
091033000M19	Graphite	118			
091033000M36	Pure White	118			
091033000M37	Alloy	118			
091033000M46	Canyon	118			
091033000M47	Raven	118			
091033000M49	Ash	118			

## Kleenscreen 5%





Kleenscreen with Sanitized® Protection inhibits the growth of bacteria, mold and mildew on your fabric. This unique antimicrobial hygiene function enhances the performance of your shades for comfort and peace of mind. Kleenscreen's performance against solar heat and glare also make this an eco-friendly and cost saving solution for any space.




Pure White



Barley



Alloy



Canyon



Ash



Raven



Black



Composition	26% Polyester, 74% PVC		
Openness	5%		
Width(s)	98.4" (2.5m), 118" (3m)		
Length	33 yd/roll (30m)		
Weight	13.12oz/yd2 (445g/m2)		
Thickness	0.022in (.56mm)		
Fire Classification	NFPA 701		
Fungal/Bacterial Resistance	ASTM E2180 and G21		
Railroadable	No		
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI-FREE FREE FREE BACTERIAL SAVING WARRANTY PRINTABLE		
Certifications	GENGUARD STANDARD 14001 9001		

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
091052500M16	Barley	98.4			,
091052500M18	Black	98.4			
091052500M19	Graphite	98.4			
091052500M36	Pure White	98.4			
091052500M37	Alloy	98.4			
091052500M46	Canyon	98.4			
091052500M47	Raven	98.4			
091052500M49	Ash	98.4			
091053000M16	Barley	118			
091053000M18	Black	118			
091053000M19	Graphite	118			
091053000M36	Pure White	118			
091053000M37	Alloy	118			
091053000M46	Canyon	118			
091053000M47	Raven	118			
091053000M49	Ash	118			

# 3000 NET Privacy





**ROLLER** 

**PANEL** 

3000 NET is our most popular screen style. The 2×2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET Privacy is the tightest weave in the offering.

Perfect for bedrooms, it offers maximum privacy with limited view-through.












White/White

White/Beige

White/Gray Charcoal/Charcoal

Charcoal/Bronze



Charcoal/Gray

Composition	25% Polyester, 75% PVC		
Openness	<1% Privacy		
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)		
Length	33 yd/roll (30m)		
Weight	15.28oz/yd2 (518g/m2)		
Thickness	0.026in (.68mm)		
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19		
Fungal/Bacterial Resistance	ASTM E2180, G21, G22		
Railroadable	Yes		
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FREE FREE FREE FREE BACTERIAL WARRANTY  PRINTABLE PRINTABLE		
Certifications	CEENCIARD  COETION OF THE COETION OF		

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030PR2000N001	White/White	78.7			
030PR2000N002	White/Beige	78.7			
030PR2000N003	White/Gray	78.7			
030PR2500N001	White/White	98.4			
030PR2500N002	White/Beige	98.4			
030PR2500N003	White/Gray	98.4			
030PR2500N901	Charcoal/Charcoal	98.4			
030PR2500N903	Charcoal/Gray	98.4			
030PR3000N001	White/White	118			
030PR3000N002	White/Beige	118			
030PR3000N003	White/Gray	118			
030PR3000N901	Charcoal/Charcoal	118			
030PR3000N902	Charcoal/Bronze	118			
030PR3000N903	Charcoal/Gray	118			

## 3000 NET 1%





3000 NET is our most popular screen style. The 2×2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 1% is a favorite amongst those seeking privacy while still allowing some light to come into the space.










Beige/Gray



White/Beige





Charcoal/Gray

Gray/Gray

Charcoal/Charcoal

Charcoal/Bronze

Composition	25% Polyester, 75% PVC		
Openness	1%		
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)		
Length	33 yd/roll (30m)		
Weight	15.28oz/yd2 (518g/m2)		
Thickness	0.026in (.68mm)		
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19		
Fungal/Bacterial Resistance	ASTM E2180, G21, G22		
Railroadable	Yes		
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FREE FREE FREE FREE BACTERIAL WARRANTY  LIMITED LIFETIME PRINTABLE WARRANTY		
Certifications	CERNCULARD  CERNCULARD  COS  COS  COS  CERNCULARD  COS  COS  COS  COS  COS  COS  COS  CO		

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030012000N001	White/White	78.7	,		,
030012000N002	White/Beige	78.7			
030012000N003	White/Gray	78.7			
030012000N203	Beige/Gray	78.7			
030012000N901	Charcoal/Charcoal	78.7			
030012500N001	White/White	98.4			
030012500N002	White/Beige	98.4			
030012500N003	White/Gray	98.4			
030012500N203	Beige/Gray	98.4			
030012500N301	Gray/Gray	98.4			
030012500N901	Charcoal/Charcoal	98.4			
030012500N902	Charcoal/Bronze	98.4			
030012500N903	Charcoal/Gray	98.4			
030013000N001	White/White	118			
030013000N002	White/Beige	118			
030013000N003	White/Gray	118			
030013000N201	Beige/Beige	118			
030013000N203	Beige/Gray	118			
030013000N301	Gray/Gray	118			
030013000N901	Charcoal/Charcoal	118			
030013000N902	Charcoal/Bronze	118			
030013000N903	Charcoal/Gray	118			

## 3000 NET 3%





3000 NET is our most popular screen style. The 2×2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 3% has quickly become a market leader for those seeking the perfect combination of privacy and natural light.



Composition	25% Polyester, 75% PVC				
Openness	3%				
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)				
Length	33 yd/roll (30m)				
Weight	13.12oz/yd2 (445g/m2)				
Thickness	0.022in (.57mm)				
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19				
Fungal/Bacterial Resistance	ASTM E2180, G21, G22				
Railroadable	Yes				
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.				
Technical & Quality Data	Visit texstyle.com for full details				
Features					
	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- LIMITED LIFETIME PRINTABLE FREE FREE FREE BACTERIAL WARRANTY				

#### Certifications



















Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030032000N001	White/White	78.7	,		,
030032000N002	White/Beige	78.7			
030032000N003	White/Gray	78.7			
030032000N203	Beige/Gray	78.7			
030032000N301	Gray/Gray	78.7			
030032000N901	Charcoal/Charcoal	78.7			
030032000N902*	Charcoal/Bronze	78.7			
030032000N903	Charcoal/Gray	78.7			
030032500N001	White/White	98.4			
030032500N002	White/Beige	98.4			
030032500N003	White/Gray	98.4			
030032500N201	Beige/Beige	98.4			
030032500N203	Beige/Gray	98.4			
030032500N301	Gray/Gray	98.4			
030032500N901	Charcoal/Charcoal	98.4			
030032500N902	Charcoal/Bronze	98.4			
030032500N903	Charcoal/Gray	98.4			
030033000N001	White/White	118			
030033000N002	White/Beige	118			
030033000N003	White/Gray	118			
030033000N201	Beige/Beige	118			
030033000N203	Beige/Gray	118			
030033000N301	Gray/Gray	118			
030033000N901	Charcoal/Charcoal	118			
030033000N902	Charcoal/Bronze	118			
030033000N903	Charcoal/Gray	118			


## 3000 NET 5%





**ROLLER** 

3000 NET is our most popular screen style. The 2×2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 5% is the perfect choice for those looking to preserve the view but also offer a small amount of privacy.



Charcoal/Bronze

Charcoal/Gray

Composition	25% Polyester, 75% PVC				
Openness	5%				
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)				
Length	33 yd/roll (30m)				
Weight	12.39oz/yd2 (420g/m2)				
Thickness	0.022in (.57mm)				
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19				
Fungal/Bacterial Resistance	ASTM E2180, G21, G22				
Railroadable	Yes				
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraer or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.				
Technical & Quality Data	Visit texstyle.com for full details				
Features					
	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- LIMITED LIFETIME PRINTABLE FREE FREE FREE FREE BACTERIAL WARRANTY				
Certifications	EPD® OEKO (ISO) (ISO)				
	GREENGUARD EPI)				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030052000N001	White/White	78.7		,	
030052000N002	White/Beige	78.7			
030052000N003	White/Gray	78.7			
030052000N203	Beige/Gray	78.7			
030052000N902*	Charcoal/Bronze	78.7			
030052500N001	White/White	94.8			
030052500N002	White/Beige	98.4			
030052500N003	White/Gray	98.4			
030052500N201	Beige/Beige	98.4			
030052500N202	Beige/Sable	98.4			
030052500N203	Beige/Gray	98.4			
030052500N301	Gray/Gray	98.4			
030052500N302	Gray/Dark Gray	98.4			
030052500N304	Gray/Blue	98.4			
030052500N901	Charcoal/Charcoal	98.4			
030052500N902	Charcoal/Bronze	98.4			
030052500N903	Charcoal/Gray	98.4			
030053000N001	White/White	118			<u> </u>
030053000N002	White/Beige	118			
030053000N003	White/Gray	118			
030053000N201	Beige/Beige	118			
030053000N203	Beige/Gray	118			
030053000N301	Gray/Gray	118			
030053000N901	Charcoal/Charcoal	118			
030053000N902	Charcoal/Bronze	118			
030053000N903	Charcoal/Gray	118			

## 3000 NET 10%



3000 NET is our most popular screen style. The 2×2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 10% is the most open in this offering and allows you to take advantage of improved view through.









White/White

White/Beige

White/Gray

Charcoal/Charcoal

Composition	25% Polyester, 75% PVC				
Openness	10%				
Width(s)	98.4" (2.5m), 118" (3m)				
Length	33 yd/roll (30m)				
Weight	11.36oz/yd2 (385g/m2)				
Thickness	0.020in (.52mm)				
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19				
Fungal/Bacterial Resistance	ASTM E2180, G21, G22				
Railroadable	Yes				
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraer or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FREE FREE FREE FREE BACTERIAL WARRANTY  PRINTABLE				
Certifications	CORROLLAND LOW VOC 14001 9001				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030102500N001	White/White	98.4			,
030102500N002	White/Beige	98.4			
030102500N003	White/Gray	98.4			
030102500N901	Charcoal/Charcoal	98.4			
030103000N001	White/White	118		,	
030103000N002	White/Beige	118			
030103000N003	White/Gray	118			
030103000N901	Charcoal/Charcoal	118			

## 4000 NET 3%





**ROLLER** 

Similar to our 3000 NET, the 4000 NET 3% fabric brings forth stylish and modern aesthetics with a heavier weight 2×2 basket weave, which is ideal for high traffic and commercial applications.





Charcoal/Charcoal



Charcoal/Bronze



White/Beige



White/Gray

Composition	27% Polyester, 73% PVC			
Openness	3%			
Width(s)	98.4" (2.5m), 118" (3m)			
Length	33 yd/roll (30m)			
Weight	16.07oz/yd2 (545 g/m2)			
Thickness	0.029in (.75mm)			
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19			
Fungal/Bacterial Resistance	ASTM E2180, G21, G22			
Railroadable	Yes			
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraer or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.			
Technical & Quality Data	Visit texstyle.com for full details			
Features	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FREE FREE FREE BACTERIAL WARRANTY  PINTABLE PRINTABLE			
Certifications	CRETACUSED  STANDARD  STANDARD  LOW VOC  14001  9001  FENERGY  ARE: IMPROVEMENT			

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
040032500N001	White/White	98.4			
040032500N002	White/Beige	98.4			
040032500N003	White/Gray	98.4			
040032500N901	Charcoal/Charcoal	98.4			
040032500N902	Charcoal/Bronze	98.4			
040032500NPE2	Dove/Sand	98.4			
040033000N001	White/White	118			
040033000N002	White/Beige	118			
040033000N003	White/Gray	118			
040033000N901	Charcoal/Charcoal	118			
040033000N902	Charcoal/Bronze	118			
040033000NPE2	Dove/Sand	118			

# 4000 NET 5%





**ROLLER PANEL** 

Similar to our 3000 NET, the 4000 NET 5% fabric brings forth stylish and modern aesthetics with a heavier weight 2×2 basket weave, which is ideal for high traffic and commercial applications.







Beige/Sable





Beige/Gray





Charcoal/Charcoal



Beige/Beige



Charcoal/Bronze



Charcoal/Gray

Composition	27% Polyester, 73% PVC				
Openness	5%				
Width(s)	98.4" (2.5m), 118" (3m)				
Length	33 yd/roll (30m)				
Weight	15.34oz/yd2 (520g/m2)				
Thickness	0.027in (.70mm)				
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19				
Fungal/Bacterial Resistance	ASTM E2180, G21, G22				
Railroadable	Yes				
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraer or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FREE FREE FREE BACTERIAL WARRANTY  PRINTABLE  PRINTABLE  PRINTABLE  PRINTABLE				
Certifications	EPD® STANDARD LOW VOC 14001 9001				

### Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
040052500N001	White/White	98.4		,	
040052500N003	White/Gray	98.4			
040052500N202*	Beige/Sable	98.4			
040052500N203*	Beige/Gray	98.4			
040052500N901*	Charcoal/Charcoal	98.4			
040053000N001	White/White	118		,	
040053000N003	White/Gray	118			
040053000N203	Beige/Gray	118			
040053000N901	Charcoal/Charcoal	118			
040053000N902	Charcoal/Bronze	118			
040053000NPE2	Dove/Sand	118			
040053000N201	Dove/Sand	118			

\*Available while supplies last

# 3000 HT 3%, 5%

without limiting the color of their interior fabric to white.





**ROLLER** 

The broken twill weave of the 3000 HT 3% & 5% offers customers a solution where white is always facing out, giving the fabric superior reflective properties, providing improved heat control






White/Beige




White/Light Gray



White/Dim Gray



White/Bronze



White/Charcoal

Composition	25% Polyester, 75% PVC	25% Polyester, 75% PVC		
Openness	3%	5%		
Width(s)	98.4" (2.5m)	98.4" (2.5m)		
Length	33 yd/roll (30m)	33 yd/roll (30m)		
Weight	12.24oz/yd2 (415 g/m2)	11.65oz/yd2 (395 g/m2)		
Thickness	0.024in (.60mm)	0.026in (.50mm)		
Fire Classification	NFPA 701, M2, BS 5867 Type B, CA Title 19			
Fungal/Bacterial Resistance	ASTM E2180, G21, G22			
Railroadable	No			
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraer or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.			
Technical & Quality Data	Visit texstyle.com for full details			
Features	FR LEAD FORMALDEHYDE PHTHALAI FREE FREE FREE	TE FRAGRANCE ANTI- FREE BACTERIAL WARRANTY  PRINTABLE		
Certifications	CRENCUARD EPD OF STAND			

#### 3000 HT 3%

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030032500HT01	White/White	98.4			
030032500HT02	White/Beige	98.4			
030032500HT03	White/Lt Gray	98.4			
030032500HT04	White/Dim Gray	98.4			
030032500HT08	White/Bronze	98.4			

#### 3000 HT 5%

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030052500HT01	White/White	98.4			
030052500HT02	White/Beige	98.4			
030052500HT03	White/Lt Gray	98.4			
030052500HT04	White/Dim Gray	98.4			
030052500HT08	White/Bronze	98.4			
030052500HT09	White/Charcoal	98.4			

### 4700 P



The 4700 P series is one our heaviest fabrics and offers an openness factor of less than 1%, making it the perfect choice when maximum privacy is desired.



White/Beige

	4700 P				
Composition	20% Polyester, 80% PVC				
Openness	<1%				
Width(s)	98.4" (2.5m)				
Length	33 yd/roll (30m)				
Weight	18.58oz/yd2 (630g/m2)				
Thickness	0.035in (.90mm)				
Fire Classification	NFPA 701, M2, BS 5867 Type B, CA Title 19				
Fungal/Bacterial Resistance	ASTM E2180, G21, G22				
Railroadable	No				
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraer or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- LIMITED LIFETIME FREE FREE FREE BACTERIAL WARRANTY				
Certifications	GIERROLIAD  OEKO TEX  STANDARD  14001  9001				

### **Product codes and pricing**

#### 4700 P

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
047012500P012	White/Beige/Beige	98.4			



### View R



A 15% openness factor preserves the view while dressing windows in a modern style.



White/White

#### **Technical Information**


Composition	27% Polyester,73% PVC					
Openness	15%					
Width(s)	98.4" (2.5m)					
Length	33 yd/roll (30m)					
Weight	13.42oz/yd2 (455g/m2)					
Thickness	0.032in (.83mm)					
Fire Classification	NFPA 701, M2, BS 5867 Type B, CA Title 19					
Fungal/Bacterial Resistance	ASTM E2180, G21, G22					
Railroadable	No					
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraer or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.					
Technical & Quality Data	Visit texstyle.com for full details					
Features	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FREE FREE FREE BACTERIAL WARRANTY					
Certifications	CEERCOLARD STANDARD 14001 9001					

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030152500R100*	White/White	98.4			

### X-Weave



Designed for both exterior and interior spaces, X-Weave is available in 5% and 10% openness and is a heavy duty 2×2 basket weave that makes durability and versatility its strongest characteristics. It's fire retardant finish grants usage in both commercial and residential settings. This fabric is also insect proof and pairs beautifully with our Zipscreen system. Availability in 126" roll widths combined with the ability to be railroaded makes this a preferred fabric selection for large window applications.





Composition	30% Polyester, 70% PVC 30% Polyester, 70% PVC				
Openness	5% 10%				
Width(s)	126" (3.2m) 126" (3.2m)				
Length	22 yd/roll (20m) 22 yd/roll (30m)				
Weight	15.63oz/yd2 (530g/m2) 13.86oz/yd2 (470g/m2)				
Thickness	0.032in (.82mm) 0.027in (.68mm)				
Fire Classification	NFPA 701				
Fungal/Bacterial Resistance	ASTM E2149				
Railroadable	Yes				
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraer or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	FR LEAD FORMALDEHYDE PHTHALATE FRAGRANCE ANTI- FREE FREE FREE BACTERIAL WARRANTY RESISTANT				
Certifications	GENCUARD STANDARD 14001 9001				

### Product codes and pricing

#### X-Weave 5%

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
066003200GRA	Graphite	126			
066003200MAH	Mahogany	126			
0660032000NY	Onyx	126			
066003200SAN	Sand	126			
066003200SLA	Slate	126			
066003200STO	Stone Gray	126			
0660032000BS	Obsidian	126			
066003200WHI	White	126			
066003200RIS	Sunrise	126			
066003200F0S	Fossil	126			
066003200SUN	Sunset	126			

#### X-Weave 10%

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
066103200GRA	Graphite	126			
066103200MAH	Mahogany	126			
0661032000NY	Onyx	126			
066103200SAN	Sand	126			
066103200SLA	Slate	126			
066103200STO	Stone Gray	126			
0661032000BS	Obsidian	126			
066103200WHI	White	126			
066103200RIS	Sunrise	126			
066103200FOS	Fossil	126			
066103200SUN	Sunset	126			

### X-Weave Zero



X-Weave Zero is a 100% view-blocking exterior solar screen, delivering total privacy. Built to withstand harsh outdoor conditions, this fabric is water-resistant, insect-resistant, and heat-reducing, ensuring year-round comfort for patios, pergolas, facades, and commercial spaces. With certifications like Greenguard Gold and EPD, X-Weave Zero supports sustainable building standards while enhancing solar protection and energy efficiency. At 126 inches in width, X-Weave Zero is the ultimate shading solution for modern outdoor living and large-scale architectural projects.





Composition	30% Polyester, 70% PVC				
Openness	0%				
Width(s)	126" (3.2m)				
Length	22 yd/roll (20m)				
Weight	19.17oz/yd2 (650g/m2)				
Thickness	0.033in (.85mm +/-5%)				
Fire Classification	NFPA 701				
Fungal/Bacterial Resistance	ASTM G21   ASTM E2149				
Railroadable	Yes, for side tensioned systems only				
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraer or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	FR LEAD FORMALDEHYDE PHTHALATE FREE PREE SAVING FREE BACTERIAL WARRANTY RESISTANT				
Certifications	CRENCUARD TEXT ISO TEXT IS THE				

### Product codes and pricing

#### X-Weave 0%

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
066303200GRA	Graphite	126			
066303200MAH	Mahogany	126			
0663032000NY	Onyx	126			
066303200SAN	Sand	126			
066303200SLA	Slate	126			
066303200STO	Stone Gray	126			
0663032000BS	Obsidian	126			
066303200WHI	White	126			
066303200RIS	Sunrise	126			
066303200F0S	Fossil	126			
066303200SUN	Sunset	126			

## SilverScreen 2%





**ROLLER** 

**PANEL** 

SilverScreen is a metalized interior solar shade fabric that is available in 2% and 4% openness factors. The secret of its superior and outstanding performance lies in its construction. Backed with an ultra-fine layer of aluminum, SilverScreen is the highest performing screen in the market, dramatically improving solar energy control, while demonstrating an excellent view through with glare control.











Black

Composition	36% Fiberglass, 64% PVC with Aluminum back				
Openness	2%				
Width(s)	110" (2.8m)				
Length	36 yd/roll (33m)				
Weight	11.8 oz/yd2 (400g/m2)				
Thickness	0.020 in (.50mm)				
Fire Classification	NFPA 701, NFP 92503 specification M1, BS 5867 Part 2 Type B, CA Title 19				
Railroadable	No				
Cleaning	Lightly vacuum to remove surface dust.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	FR LEAD FORMALDEHYDE FRAGRANCE 10 YEAR FREE FREE FREE WARRANTY				
Certification	CERNCULAD STANDARD 14001 9001				

Code	Color	Width (in)	Price per lin. yd	Price per sq. yd.	Price per av. roll
010022800ED01	White	110			
010022800ED02	Beige	110			
010022800ED03	Lt Gray	110			
010022800EC02	Steel Gray	110			
010022800EB02	Dark Gray	110			
010022800EB01*	Black	110			

<sup>\*</sup> Available while supplies last

# SilverScreen 4%





**ROLLER** 

**PANEL** 

SilverScreen is a metalized interior solar shade fabric that is available in 2% and 4% openness factors. The secret of its superior and outstanding performance lies in its construction. Backed with an ultra-fine layer of aluminum, SilverScreen is the highest performing screen in the market, dramatically improving solar energy control, while demonstrating an excellent view through with glare control.



Beige





Misty Gray







Steel Gray

Chocolate Brown

Dark Gray

Composition	36% Fiberglass, 64% PVC with Aluminum back				
Openness	4%				
Width(s)	94.5" (2.4m)				
Length	36 yd/roll (33m)				
Weight	11.8 oz/yd2 (400g/m2)				
Thickness	0.020 in (.50mm)				
Fire Classification	NFPA 701, NFP 92503 specification M1, BS 5867 Part 2 Type B, CA Title 19				
Railroadable	No				
Cleaning	Lightly vacuum to remove surface dust.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	FR LEAD FORMALDEHYDE FRAGRANCE 10 YEAR FREE FREE WARRANTY				
Certifications	CERCULARD STANDARD 14001 9001				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
010042400ED01	White	94.5			
010042400ED02	Beige	94.5			
010042400ED03	Light Gray	94.5			
010042400EC01*	Misty Gray	94.5			
010042400EC02	Steel Gray	94.5			
010042400EB02	Dark Gray	94.5			
010042400EB04*	Chocolate Brown	94.5			

<sup>\*</sup> Available while supplies last

## **OmniaScreen**



Placed at an attractive price point, the aluminum backed 2×2 basket weave solar screen has a 3% openness, perfect for enhancing any living and working atmosphere.



White/White



White/Beige



White/Gray



Charcoal/Charcoal



Charcoal/Bronze



Charcoal/Dark Gray

Composition	25% Polyester, 75% PVC with Aluminum back			
Openness	3%			
Width(s)	110" (2.8m)			
Length	36 yd/roll (33m)			
Weight	12.98 oz/yd2 (440 g/m2)			
Thickness	0.022 in (.55mm)			
Fire Classification	NFPA 701, CA Title 19, UK BS 5867 Part 2, French M1			
Railroadable	Yes			
Cleaning	Lightly vacuum to remove surface dust.			
Technical & Quality Data	Visit texstyle.com for full details			
Features	FR LEAD FORMALDEHYDE FRAGRANCE 10 YEAR FREE FREE WARRANTY			
Certifications	GERNCUARD STANDARD 14001 9001			

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
010032800N001	White/White	110			
010032800N002	White/Beige	110			
010032800N003	White/Gray	110			
010032800N901	Charcoal/Charcoal	110			
010032800N902	Charcoal/Bronze	110			
010032800N904	Charcoal/Dark Gray	110			

### **EnviroScreen**







**ROLLER** 

**PANEL** 

EnviroScreen is a metalized PVC free fabric used in roller and panel track applications for both commercial and residential environmentally focused projects. Its highly reflective aluminum backing provides superior thermal and visual comfort in any space, yielding substantial energy savings, and creating a uniform exterior appearance. This desirable specialty weave is available in an appealing neutral color palette with a 2% openness factor.

For projects looking to maximize on green requirements, EnviroScreen is Cradle to Cradle certified, LBC Red List Compliant, and carries additional certifications necessary to claim points in green building rating tools such as LEED, Green Star, BREEAM, and more.



Beige







Light Gray

Black

Composition	100% Polyester with Aluminum back				
Openness	2%				
Width(s)	94.5" (2.4m)				
Length	49 yd/roll (45m)				
Weight	7.37 oz/yd2 (250g/m2)				
Thickness	0.020 in (.50mm)				
Fire Classification	NFPA 701, DIN410 B1, AS 1530_2, BS5867 Part 2, CA Title 19				
Railroadable	No				
Cleaning	Lightly vacuum to remove surface dust.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	FR PVC LEAD FORMALDEHYDE ECO PHTHALATE FRAGRANCE 10 YEAR FREE FREE FREE FREE FREE FREE WARRANTY				
Certifications	CERTIFIED CEEKGUARD CEEKGU				

	'				
Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
0110022400000	Light Gray	94.5			
0110022400765	Tan	94.5			
0110022400741	Beige	94.5			
0110022400936	Steel Gray	94.5			
0110022400998	Dark Gray	94.5			
0110022400829	Black	94.5			

# Ambient Renew 1%







**ROLLER** 

Ambient Renew is an eco-friendly PVC Free solar screen fabric made of 85% recycled Repreve® polyester and available in 1% and 5% openness factors. It is designed to behave similarly to a traditional solar screen but without the PVC.

Select Ambient Renew for your commercial or residential space when you're looking to minimize your impact on the environment while maximizing solar control and durability. It's compliance to the Living Building Challenge Red List makes this fabric the optimal choice for more demanding projects.



White/White



White/ Beige



White/Smoke



White/Gray



Gray/Gray



Smoke/Smoke



Black/Blue



Black/Smoke



Black/Gray



Black/Coffee



Black/Black



Composition	100% Polyester (85% Recycled REPREVE® Polyester)				
Openness	1%				
Width(s)	118" (3m)				
Length	33 yd/roll (30m)				
Weight	11.80 oz/yd2 (400 g/m2)				
Thickness	0.02 in (.54mm)				
Fire Classification	NFPA 701, CA Title 19				
Railroadable	Yes				
Cleaning	Wipe clean with warm soapy water and damp cloth.				
Technical & Quality Data	Visit texstyle.com for full details				
Features					
	FR RECYCLED RECYCLABLE ENERGY ECO LEAD 5 YEAR PRINTABLE CONTENT SAVING FRIENDLY FREE WARRANTY				
Certifications					
	EPD° Declare.				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
021013000R001	White/White	118			
021013000R002	White/Beige	118			
021013000R003	White/Smoke	118			
021013000R004	White/Gray	118			
021013000R303	Smoke/Smoke	118			
021013000R404	Gray/Gray	118			
021013000R503	Black/Smoke	118			
021013000R504	Black/Gray	118			
021013000R505	Black/Black	118			
021013000R506	Black/Coffee	118			
021013000R507	Black/Blue	118			

## Ambient Renew 5%







**ROLLER** 

Ambient Renew is an eco-friendly PVC Free solar screen fabric made of 85% recycled Repreve® polyester and available in 1% and 5% openness factors. It is designed to behave similarly to a traditional solar screen but without the PVC.

Select Ambient Renew for your commercial or residential space when you're looking to minimize your impact on the environment while maximizing solar control and durability. It's compliance to the Living Building Challenge Red List makes this fabric the optimal choice for more demanding projects.




White/White



White/ Beige



White/Smoke



White/Gray



Gray/Gray



Smoke/Smoke



Black/Blue



Black/Smoke



Black/Gray



Black/Coffee



Black/Black



Composition	100% Polyester (85% Recycled REPREVE® Polyester)					
Openness	5%					
Width(s)	118" (3m)					
Length	33 yd/roll (30m)					
Weight	9.0 oz/yd2 (305 g/m2)					
Thickness	.01 in (.48mm)					
Fire Classification	NFPA 701, CA Title 19					
Railroadable	Yes					
Cleaning	Wipe clean with warm soapy water and damp cloth.					
Technical & Quality Data	Visit texstyle.com for full details					
Features	FR RECYCLED RECYCLABLE ENERGY ECO LEAD 5 YEAR PRINTABLE					
	CONTENT SAVING FRIENDLY FREE WARRANTY					
Certifications	EPD® STANDARD LOW VOC Declare.  MASSACHUSETTS H4900 COMPLIANT					

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
021053000R001	White/White	118			
021053000R002	White/Beige	118			
021053000R003	White/Smoke	118			
021053000R004	White/Gray	118			
021053000R303	Smoke/Smoke	118			
021053000R404	Gray/Gray	118			
021053000R503	Black/Smoke	118			
021053000R504	Black/Gray	118			
021053000R505	Black/Black	118			
021053000R506	Black/Coffee	118			
021053000R507	Black/Blue	118			



# **Mesa Light Filtering**



The cosmopolitan fabric, Mesa Light Filtering, is ideal for commercial and residential applications to allow light in while maintaining privacy. Made from 100% polyester, Mesa Light Filtering is PVC-free, and offers a high-quality, soft appearance that will add beauty to any room.

Mesa Light Filtering is available in five soft, neutral colors and matches perfectly with Mesa Blackout. Ideal for digital printing, Dove White is available with a pre-established HP Digital Latex print profiles for seamless setup.



Composition	100% Polyester
Openness	Light Filtering
Width(s)	118" (3m)
Length	27 yd/roll (25m)
Weight	6.93 oz/yd2 (235g/m2)
Thickness	0.019 in (.48mm)
Fire Classification	NFPA 701, CA Title 19
Railroadable	No
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit texstyle.com for full details
Features	FR PVC FRAGRANCE ENERGY 10 YEAR PRINTABLE FREE SAVING WARRANTY
Certifications	CRENGUIAND

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
061013000DOV	Dove White	118			
061013000ICE	Ice Gray	118			
061013000M00	Moonstone	118			
061013000NOU	Nougat	118			
061013000QUI	Quill	118			

### Mesa Blackout







ROLLER

PANEL

The cosmopolitan fabric, Mesa blackout, is ideal for commercial and residential applications that require total light blockage and privacy. Made from 100% polyester with an acrylic coating, Mesa is PVC-free, offering a high-quality, soft appearance that will add beauty to a room while providing privacy. Match Mesa blackout to Mesa light filtering or the 3000 NET solar screen series. Dove White is ideal for digital printing, with pre-established HP Digital Latex print profiles for a seamless setup.



Composition	100% Polyester with Acrylic Foam Coating				
Openness	Blackout				
Width(s)	118" (3m)				
Length	22 yd/roll (20m)				
Weight	9.4 oz/yd2 (320g/m2)				
Thickness	0.022 in (.55mm)				
Fire Classification	NFPA 701, CA Title 19				
Railroadable	No				
Cleaning	Wipe clean with warm soapy water and damp cloth.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	FR PVC FRAGRANCE ENERGY 10 YEAR PRINTABLE FREE SAVING WARRANTY				
Certifications	EPD® STANDARD 9001 LOW VOC				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
061003000DOV	Dove White	118			
061003000WHI	White	118			
061003000PEA	Pearl	118			
061003000SEA	Seal	118			
061003000SLA	Slate	118			
061003000BLA	Black	118			
061003000DUN	Dune	118			
061003000ICE	Ice Gray	118			
061003000MIS	Mist	118			
061003000M00	Moonstone	118			
061003000NOU	Nougat	118			
061003000QUI	Quill	118			
061003000STO	Storm	118			

# Mesa Façade Blackout







ROLLER

PANEL

Using the same Mesa Blackout quality you know and love, Mesa Facade Blackout offers four colors with a charcoal back. The facade blending back color helps your shades disappear from street view and is ideal for open roll systems that use a dark front blackout color. Tuxedo Facade is also available with pre-established HP





Digital Latex print profile for seamless setup.





Tuxedo Façade

Slate Façade

Storm Façade

Black Façade

Composition	100% Polyester with Acrylic Foam Coating			
Openness	Blackout			
Width(s)	118" (3m)			
Length	22 yd/roll (20m)			
Weight	9.4 oz/yd2 (320g/m2)			
Thickness	0.022 in (.55mm)			
Fire Classification	NFPA 701, CA Title 19			
Railroadable	No			
Cleaning	Wipe clean with warm soapy water and damp cloth.			
Technical & Quality Data	Visit texstyle.com for full details			
Features	FR PVC FRAGRANCE ENERGY 10 YEAR FAÇADE PRINTABLE SAVING WARRANTY BLENDING			
Certifications	EPD® GEKO ISO WISO FINANCIAR 9001 LIW VOC			

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
061003000TUX	Tuxedo	118			
061003000SLAF	Slate Façade	118			
061003000STOF	Storm Façade	118			
061003000BLAF	Black Façade	118			

# **Tempe Blackout**



Tempe blackout fabric is made from 100% polyester with an acrylic coating. Perfectly block light and enhance privacy with this off-white backed PVC-free, economical and environmentally friendly fabric.



Composition	100% Polyester with Acrylic Coating			
Openness	Blackout			
Width(s)	98.4" (2.5m), 118" (3m)			
Length	33 yd/roll (30m)			
Weight	11.8 oz/yd2 (400 g/m2)			
Thickness	0.012 in (.40mm)			
Fire Classification	NFPA 701, CA Title 19			
Railroadable	No			
Cleaning	Wipe clean with warm soapy water and damp cloth.			
Technical & Quality Data	Visit texstyle.com for full details			
Features	FR PVC LEAD PHTHALATE FRAGRANCE 10 YEAR FREE FREE FREE WARRANTY			
Certifications	EPD° hpd Low voc			

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
062002500ALM*	Almond	98.4			
062002500CLO*	Cloud	98.4			
062002500DES*	Desert	98.4			
062002500EBO*	Ebony	98.4			
062002500ESP*	Espresso	98.4			
062002500LIN*	Linen	98.4			
062002500POL*	Polar	98.4			
062003000ALM*	Almond	118			
062003000CLO*	Cloud	118			
062003000DES*	Desert	118			
062003000EBO*	Ebony	118			
062003000ESP*	Espresso	118			
062003000LIN*	Linen	118			
062003000POL*	Polar	118			

<sup>\*</sup> Available while supplies last

# **Chateau Light Filtering**







ROLLER

PANEL ROMAN

Crafted for today's residential spaces, Chateau delivers a refined aesthetic with features that go far beyond the basics. Its soft light-filtering weave offers near-total privacy while gently diffusing natural light—ideal for bedrooms, bathrooms, and open-plan living. With superior fade resistance, eco-conscious certifications, and a wide 118" format that eliminates seaming, Chateau is as functional as it is beautiful. Available in seven curated shades, each with a color-matched backing for cohesive curb appeal, Chateau is the essential fabric for modern living



Porcelain



Gypsum



Amber Dust



Canyon



Castlerock



Thunderstone



Ebony

Composition	100% Polyester				
Openness	Private (<1%)				
Width(s)	118" (3m)				
Length	33 yd/roll (30m)				
Weight	6.19 oz/yd2 (210 g/m2)				
Thickness	0.012 in (.30mm)				
Fire Classification	NFPA 701, CA Title 19				
Railroadable	Yes				
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Gently wipe clean with damp sponge. Do not soak. Avoid solvents or test them in inconspicuous area first				
Technical & Quality Data	Visit texstyle.com for full details				
Features	PVC LEAD PHTHALATE FRAGRANCE FORMALDEHYDE PRINTABLE FREE FREE FREE				
Certifications	OEKO ISO 5 STANDARD 9001 5 YEAR 100 WARRANTY				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
022003000AMB	Amber Dust	118		'	,
022003000CAN	Canyon	118			
022003000CAS	Castlerock	118			
022003000EBO	Ebony	118			
022003000GYP	Gypsum	118			
022003000POR	Porcelain	118			
022003000THU	Thunderstone	118			

New Collection!

### Chateau Blackout







**ROLLER** 

**PANEL** 

**ROMAN** 

Crafted for today's residential spaces, Chateau delivers a refined aesthetic with features that go far beyond the basics. Its soft lightfiltering weave offers near-total privacy while gently diffusing natural light-ideal for bedrooms, bathrooms, and open-plan living. With superior fade resistance, eco-conscious certifications, and a wide 118" format that eliminates seaming, Chateau is as functional as it is beautiful. Available in seven curated shades, each with a colormatched backing for cohesive curb appeal, Chateau is the essential fabric for modern living



Porcelain



Gypsum




Amber Dust



Canyon



Castlerock



Thunderstone



Ebony

Composition	100% Polyester				
Openness	Blackout				
Width(s)	118" (3m)				
Length	33 yd/roll (30m)				
Weight	10.03 oz/yd2 (340 g/m2)				
Thickness	0.018 in (.45mm)				
Fire Classification	NFPA 701, CA Title 19				
Railroadable	Yes				
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Gently wipe clean with damp sponge. Do not soak. Avoid solvents or test them in inconspicuous area first				
Technical & Quality Data	Visit texstyle.com for full details				
Features	PVC LEAD PHTHALATE FRAGRANCE FORMALDEHYDE FREE FREE FREE FREE				
Certifications	STANDARD 9001 5 YEAR WARRANTY				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
022013000AMB	Amber Dust	118			,
022013000CAN	Canyon	118			
022013000CAS	Castlerock	118			
022013000EBO	Ebony	118			
022013000GYP	Gypsum	118			
022013000POR	Porcelain	118			
022013000THU	Thunderstone	118			

# **Sanctuary Light Filtering**







OLLER PANEL

**ROMAN** 

Inspired by the organic textures of nature, the Sanctuary collection is a defining aesthetic, available in 11 exceptional matching light filtering and blackout colors. Its unique three-dimensional pattern is available in a 118" width and will provide the competitive edge you have been looking for. Suitably designed for roller, roman and panel blinds, Sanctuary will transform and bring your interior space to life.



Plaster



Marble



Limestone



Ceramic



Truffle



Fossil



Suede



Mineral



Slate



Baltic



Lava

Composition	100% Polyester				
Openness	Light Filtering   Approximately 3%				
Width(s)	118" (3m)				
Length	22 yd/roll (20m)				
Weight	6.05 oz/yd2 (205 g/m2)				
Thickness	0.018 in (0.05 mm)				
Railroadable	No				
Cleaning	Surface dust can be removed with vacuum or a soft cloth.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	PVC 5 YEAR PRINTABLE FREE WARRANTY				
Certifications	CRERCUARD  OEKO TEXP  STANDARD  STANDARD  9001				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
058013000PLA	Plaster	118			
058013000MAR	Marble	118			
058013000LIM	Limestone	118			
058013000CER	Ceramic	118			
058013000TRU	Truffle	118			
058013000FOS	Fossil	118			
058013000SUE	Suede	118			
058013000MIN	Mineral	118			
058013000SLA	Slate	118			
058013000BAL	Baltic	118			
058013000LAV	Lava	118			

# **Sanctuary Blackout**







Inspired by the organic textures of nature, the Sanctuary collection is a defining aesthetic, available in 11 exceptional matching light filtering and blackout colors. Its unique three-dimensional pattern is available in a 118" width and will provide the competitive edge you have been looking for. Suitably designed for roller, roman and panel blinds, Sanctuary will transform and bring your interior space to life.



Plaster



Marble



Limestone



Ceramic



Truffle



Fossil



Suede



Mineral



Slate



Baltic



Lava


Composition	100% Polyester with Acrylic Foam Coating				
Openness	Blackout				
Width(s)	118" (3m)				
Length	22 yd/roll (20m)				
Weight	12.68 oz/yd2 (430 g/m2)				
Thickness	0.024 in (0.60 mm)				
Railroadable	No				
Cleaning	Surface dust can be removed with vacuum or a soft cloth.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	PVC 5 YEAR PRINTABLE FREE WARRANTY				
Certifications	GEROLIAD OEKO TEXP STANDARD 9001				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
058003000PLA	Plaster	118			
058003000MAR	Marble	118			
058003000LIM	Limestone	118			
058003000CER	Ceramic	118			
058003000TRU	Truffle	118			
058003000FOS	Fossil	118			
058003000SUE	Suede	118			
058003000MIN	Mineral	118			
058003000SLA	Slate	118			
058003000BAL	Baltic	118			
058003000LAV	Lava	118			

## Verona



Verona is a high quality, versatile, light filtering solid and is available in a wide variety of contemporary colors, making it an excellent choice for any room.



Composition	100% Polyester			
Openness	Light Filtering   Approximately 1%			
Width(s)	92.5" (2.35m)   Select colors also available in 78.7"			
Length	44 yd/roll (40m)			
Weight	5.31 oz/yd2 (180 g/m2)			
Thickness	0.016 in (.40mm)			
Railroadable	Yes			
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.			
Technical & Quality Data	Visit texstyle.com for full details			
Features	PVC 5 YEAR PRINTABLE FREE WARRANTY			
Certifications	OEKO TEX* STANDARD 100			

Code	Color	Fabric Width (in)	Price per lin. yd	Price per sq. yd.	Price per av. roll
07330654105091	Vanilla	78.7			
07330654105107	White	78.7			
07330654108733	Natural	78.7			
07330654246497	Light Gray	78.7			
07330654246503	Stone	78.7			
07330654312857	Slate	78.7			
07330654596820	Navy Blue	92.5			
07330654596837	Light Blue	92.5			
07330654596851	Blue Gray	92.5			
07330654611011	Lake Blue	92.5			
07330654596769	Light Gray	92.5			
07330654596776	Stone	92.5			
07330654596783	Shadow	92.5			
07330654596790	Sand	92.5			
07330654595533	Vanilla	92.5			
07330654596691	White	92.5			
07330654596714	Noir	92.5			

## **Milano**





ROLLER PANEL

Milano is a cost-effective light-filtering solution which is available in a wide variety of colors. It's closed weave allows you to maintain privacy in your space while still allowing soothing natural light to come in. It's matching blackout, Torino, allows you to mix and match opacities within your space. Versatile and attractively priced, Milano is perfect for any room.



Rice White



Pearl



Oatmeal



Dark Cream



Harvest



Pale Gray



Light Gray



Gray



Dark Chocolate



Dark Blue



Charcoal

Composition	100% Polyester				
Openness	Light Filtering   Approximately 0%				
Width(s)	78.7" (2m) & 92.5" (2.35m)				
Length	44 yd/roll (40m)				
Weight	5.01 oz/yd2 (170 g/m2)				
Thickness	0.016 in (.40mm)				
Railroadable	Yes				
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	PVC 5 YEAR FREE WARRANTY				
Certifications	OEKO TEX* STANDARD 100				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654373698	Rice White	78.7			
07330654373865	Pearl	78.7			
07330654375821	Pale Gray	78.7			
07330654551690	Light Gray	78.7			
07330654373872	Gray	78.7			
07330654373957	Dark Chocolate	78.7			
07330654373759	Dark Blue	78.7			
07330654373704	Charcoal	78.7			
07330654373681	Oatmeal	78.7			
07330654373889	Dark Cream	78.7			
07330654375838	Harvest	78.7			
07330654453406	Rice White	92.5	•		

## **Torino Blackout**



Torino is a cost-effective blackout fabric which is available in a wide variety of colors. It's matching Light Filtering counterpart, Milano, allows you to mix and match opacities within your space. Versatile and attractively priced, Torino is perfect for any room.



Composition	100% Polyester				
Openness	Blackout				
Width(s)	78.7" (2m) & 92.5" (2.35m)				
Length	27 yd/roll (25m)				
Weight	8.55/10.32 oz/yd2 (290/350 g/m2)				
Thickness	0.020 in (.50mm)				
Railroadable	No				
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	PVC 5 YEAR FREE WARRANTY				
Certifications	OEKO TEXE STANDARD 100				

### **Product codes and pricing**

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654373988	Rice White	78.7			
07330654373995	Black	78.7			
07330654375845	Pale Gray	78.7			
07330654374145	Gray	78.7			
07330654373971	Oatmeal	78.7			
07330654375852	Harvest	78.7			
07330654612124*	Dark Chocolate	92.5			
07330654612063	Light Gray	92.5			
07330654426318	Rice White	92.5			
07330654564706	Black	92.5			
07330654564683	Pale Gray	92.5			
07330654564690	Gray	92.5			
07330654564669	Oatmeal	92.5			
07330654564652	Pearl	92.5			
07330654596875	Dark Blue	92.5			
07330654564676	Harvest	92.5			

\*Available while supplies last

### **Panama**





**PANEL** 

Although not a blackout fabric, Panama is a privacy-oriented solution; letting some light through while blocking exterior view through. Panama is a versatile textured solid that adds visual interest to the shade.



White

Composition	100% Polyester				
Openness	Light Filtering   Approximately 0%				
Width(s)	92.5" (2.35m)				
Length	44 yd/roll (40m)				
Weight	8.26 oz/yd2 (280 g/m2)				
Thickness	0.016 in (.40mm)				
Railroadable	Yes				
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	PVC 5 YEAR FREE WARRANTY				
Certifications	OEKO TEX* STANDARD 100				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654608776	White	92.5			

# **Tusk Light Filtering**







OLLER PANEL RO

From textured earth tones to the rich, warm colors of weathered sandstone cliffs, Tusk provides comfort and harmony to every space. Tusk is available in both Light Filtering and Blackout with a color matched back, making it ideal for open roll shade systems.

















Composition	100% Polyester			
Openness	Light Filtering   Approximately 1%			
Width(s)	118" (3m)			
Length	22 yd/roll (20m)			
Weight	5 oz/yd² (170 g/m²)			
Thickness	0.012 in (.30mm)			
Railroadable	No			
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.			
Technical & Quality Data	Visit texstyle.com for full details			
Features	PVC 5 YEAR FREE WARRANTY			
Certifications	GERKULARD TEXT STANDARD 100			

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
059003000WHI	Whisper	118			
059003000COC	Coconut	118			
059003000BEA	Beach	118			
059003000PEP	Pepper	118			
059003000MUS	Mushroom	118			
059003000HEN	Henna	118			
059003000HAZ	Hazelnut	118			
059003000SLA	Slate	118			

# **Tusk Blackout**







From textured earth tones to the rich, warm colors of weathered sandstone cliffs, Tusk provides comfort and harmony to every space. Tusk is available in both Light Filtering and Blackout with a color matched back, making it ideal for open roll shade systems.

















Hazelnut

Composition	100% Polyester
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	10.62 oz/yd² (360 g/m²)
Thickness	0.017 in (.43mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit texstyle.com for full details
Features	PVC 5 YEAR FREE WARRANTY
Certifications	GEENGUARD COENCY TEXT

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
0591003000WHI	Whisper	118			
0591003000COC	Coconut	118			
0591003000BEA	Beach	118			
0591003000PEP	Pepper	118			
0591003000MUS	Mushroom	118			
0591003000HEN	Henna	118			
0591003000HAZ	Hazelnut	118			
0591003000SLA	Slate	118			

# Chambray



A simple geometric print, Chambray introduces pattern in a calming manner.



White/White

# Stickan





ROLLER PANEL

Stickan introduces a varied vertical stripe, lengthening the window and adding visual appeal. It's ability to be railroaded also allows for the stripe to run horizontally on the window if desired.



White/White

	Chambray	Stickan	
Composition	100% Polyester	100% Polyester	
Openness	Light Filtering   Approximately 1%	Light Filtering   Approximately 1%	
Width(s)	78.7" (2m)	78.7" (2m)	
Length	44 yd/roll (40m)	44 yd/roll (40m)	
Weight	5.31 oz/yd² (180 g/m²)	5.31 oz/yd² (180 g/m²)	
Thickness	0.016 in (.40mm)	0.016 in (.40mm)	
Railroadable	Yes	Yes	
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not u any other solvents, and do not rub.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	(PVC) (5)		
	PVC 5 YEAR FREE WARRANTY		
Certifications	OEKO TEXº		
	STANDARD		

## Product codes and pricing

#### Chambray

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654440260	White/White	78.7			

#### Stickan

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654163114	White White	78.7			

# Chenille





ROLLER

Created using a puff paint, the striped pattern on Chenille adds dimensional interest to the window shade.

White

	Chenille		
Composition	100% Polyester		
Openness	Light Filtering   Approximately 1%		
Width(s)	78.7" (2m)		
Length	44 yd/roll (40m)		
Weight	4.42 oz/yd² (150 g/m²)		
Thickness	0.026 in (.65mm)		
Railroadable	Yes, pattern direction will change		
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	PVC 5 YEAR FREE WARRANTY		
Certifications	OEKO TEX* STANDARD 100		

## Product codes and pricing

#### Chenille

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654267409	White	78.7		'	'

# **Mandal**





ROLLER

Made of recycled polyester, Mandal is eye catching and environmentally friendly. The tonal texture adds a natural design aesthetic to the window and the fabric can be railroaded allowing the texture to run either vertically or horizontally on the window.







Vanilla

Pebble

Dark Blue

Composition	100% Recycled Polyester			
Openness	Light Filtering   Approximately 3%			
Width(s)	78.7" (2m)			
Length	44 yd/roll (40m)			
Weight	3.83 oz/yd² (130 g/m²)			
Thickness	0.012 in (.30mm)			
Railroadable	Yes			
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.			
Technical & Quality Data	Visit texstyle.com for full details			
Features	PVC 5 YEAR RECYCLED FREE WARRANTY CONTENT			
Certifications	OEKO TEX* STANDARD			

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654613206	Dark Blue	78.7			
07330654437017	Vanilla	78.7			
07330654437055	Pebble	78.7			

# Karuna





ROLLER

TELL TANL

Made of recycled polyester, Karuna's open weave adds sophistication and a natural appearance to any room.











Snow

Beige

Light Gray

Tan

Dark Gray



Black

Composition	100% Recycled Polyester			
Openness	Transparent   Approximately 16%			
Width(s)	78.7" (2m)			
Length	44 yd/roll (40m)			
Weight	5.60 oz/yd² (190 g/m²)			
Thickness	0.022 in (.55mm)			
Railroadable	Yes			
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.			
Technical & Quality Data	Visit texstyle.com for full details			
Features	® <b>⑤</b>			
	PVC 5 YEAR RECYCLED FREE WARRANTY CONTENT			
Certifications	OEKO TEX*			
	STANDARD 100			

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654612353	Gray	78.7			
07330654612360	Dark Gray	78.7			
07330654612407	Tan	78.7			
07330654424659	Beige	78.7			
07330654424628	Snow	78.7			
07330654424604	Black	78.7			

# **Balmoral Light Filtering**







The Balmoral collection offers the complete styling solution with pure elegance and a premium design aesthetic. Available in 13 exceptionally matched colors, privacy is achieved in all light conditions.



White



Pearl







Concrete







Bourneville





Jet



Armour



Platinum



Composition	100% Polyester
Openness	Light Filtering   Approximately 6%
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	6.49 oz/yd² (220 g/m²)
Thickness	0.022 in (.55mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit texstyle.com for full details
Features	PVC 5 YEAR PRINTABLE FREE WARRANTY
Certifications	GEERGUARD GEERGUARD TEXT STANDARD 100

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
064003000BIR	Birch	118			
064003000BOU	Bourneville	118			
064003000CON	Concrete	118			
064003000DOV	Dove	118			
064003000JET	Jet	118			
064003000PEA	Pearl	118			
064003000PUT	Putty	118			
064003000PYR	Pyrite	118			
064003000STE	Steel	118			
064003000WHI	White	118			
064003000ARM	Armour	118			
064003000CHR	Chrome	118			
064003000PLA	Platinum	118			

# **Balmoral Blackout**







ROLLER

PANE

**ROMA** 

The Balmoral collection offers the complete styling solution with pure elegance and a premium design aesthetic. Available in 13 exceptionally matched colors, privacy is achieved in all light conditions.



White



Pearl



Birch



Putty



Concrete



Dove



Pyrite



Bourneville



Steel



Jet



Armour



Platinum



Chrome

Composition	100% Polyester with Acrylic Foam Backing				
Openness	Blackout				
Width(s)	118" (3m)				
Length	22 yd/roll (20m)				
Weight	11.50oz/yd2 (390 g/m2)				
Thickness	0.023in (.60mm)				
Railroadable	No				
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.				
Technical & Quality Data	Visit texstyle.com for full details				
Features	PVC 5 YEAR PRINTABLE FREE WARRANTY				
Certifications	GEEROLIABD GEEROLIABD TOTAL  STANDARD TOTAL				

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
065003000BIR	Birch	118			
065003000BOU	Bourneville	118			
065003000CON	Concrete	118			
065003000DOV	Dove	118			
065003000JET	Jet	118			
065003000PEA	Pearl	118			
065003000PUT	Putty	118			
065003000PYR	Pyrite	118			
065003000STE	Steel	118			
065003000WHI	White	118			
065003000ARM	Armour	118			
065003000CHR	Chrome	118			
065003000PLA	Platinum	118			

# **Jersey Light Filtering**







**PANEL** 

Delicate yarns intricately woven give rise to Jersey, a fabric collection inspired by more traditional textile design methods. Simple yet sophisticated, the Jersey color palette complements a broad spectrum of decors and interior spaces.



Opal



Organic



Stone





Timber



Pavement



Steel

Composition	100% Polyester		
Openness	Light Filtering   Approximately 10%		
Width(s)	118" (3m)		
Length	22 yd/roll (20m)		
Weight	7.67 oz/yd² (260g/m²)		
Thickness	0.025 in (0.63mm)		
Railroadable	No		
Cleaning	Surface dust can be removed with vacuum or a soft cloth		
Technical & Quality Data	Visit texstyle.com for full details		
Features	PVC 5 YEAR FRAGRANCE FREE WARRANTY FREE		
Certifications	GCENGUARD  TEXT  STANDARD  100		

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
0540030000PA	Opal	118			
0540030000RG	Organic	118			
054003000PAV	Pavement	118			
054003000REN	Render	118			
054003000STE	Steel	118			
054003000STO	Stone	118			
054003000TIM	Timber	118			

# **Jersey Blackout**







**PANEL** 

Delicate yarns intricately woven give rise to Jersey, a fabric collection inspired by more traditional textile design methods. Simple yet sophisticated, the Jersey color palette complements a broad spectrum of decors and interior spaces.



Organic



Opal





Render



Timber



Pavement



Steel

Composition	100% Polyester
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	13.27 oz/yd² (450g/m²)
Thickness	0.028 in (0.72mm)
Railroadable	No
Cleaning	Surface dust can be removed with vacuum or a soft cloth
Technical & Quality Data	Visit texstyle.com for full details
Features	PVC 5 YEAR FRAGRANCE FREE WARRANTY FREE
Certifications	GEENGLARD TEX  STANDARD 100

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
0530030000PA	Opal	118			
0530030000RG	Organic	118			
053003000PAV	Pavement	118			
053003000REN	Render	118			
053003000STE	Steel	118			
053003000STO	Stone	118			
053003000TIM	Timber	118			

# **Trento**





**PANEL** 

A simple pattern with broad appeal, Trento introduces a truly natural aesthetic to your space by using 100% natural fibers and slub yarns.



	Trento		
Composition	100% Cotton		
Openness	Light Filtering   Approximately 0%		
Width(s)	78.7" (2m)		
Length	33 yd/roll (30m)		
Weight	9.14 oz/yd2 (310 g/m2)		
Thickness	0.024 in (.60mm)		
Railroadable	Yes		
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.		
Technical & Quality Data	Visit texstyle.com for full details		
Features	(PVC) (5) OEKO TEX		
	PVC 5 YEAR STANDARD FREE WARRANTY 100		

Trento					
Code	Color	Fabric Width (in)	Price per lin. yd	Price per sq. yd.	Price per av. roll
07330654108115	White	78.7			



Sourcing from some of the best mills in the world. Texstyle is devoted to offering only the highest quality fabrics.

# **Avesta Light Filtering**



Avesta light filtering boasts an intricate weave with a neutral color palette incorporating the colors of nature.



Natura

# **Avesta Blackout**



Avesta blackout boasts an intricate weave with a neutral color palette incorporating the colors of nature.



Natural

	Avesta	Avesta Blackout	
Composition	40% Viscose, 23% Polyester, 20% Cotton, 17% Flax	40% Viscose, 23% Polyester, 20% Cotton, 17% Flax with Acrylic Coating	
Openness	Light Filtering   Approximately 1%	Blackout	
Width(s)	80.7" (2.05m)	80.7" (2.05m)	
Length	27 yd/roll (25m)	22 yd/roll (20m)	
Weight	10.91 oz/yd2 (370 g/m2)	14.75 oz/yd2 (500 g/m2)	
Thickness	0.029 in (.75mm)	0.035 in (.90mm)	
Railroadable	Yes, pattern direction will change.	Yes, pattern direction will change.	
Cleaning	Vacuum cleaning and/or gentle wiping with a s other solvents, and do not rub.	ponge and mild soap. Do not soak, do not use any	
Technical & Quality Data	Visit texstyle.com for full details		
Features	PVC (5) OEKO		
	PVC 5 YEAR STANDARD FREE WARRANTY 100		

### **Product codes and pricing**

Avesta						
Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll	
07330654307402	Natural	80.7		'		

#### Avesta Blackout

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654329930	Natural	80.7	'	'	

# Vista Blackout







Vista is a sophisticated blackout coated jacquard fabric. With a complex weave construction, Vista offers a real three-dimensional appearance, with a color palette designed to compliment any interior.











Sand

Paperbark



Driftwood

Composition	100% Polyester			
Openness	Blackout			
Width(s)	110" (2.8m)			
Length	28 yd/roll (25m)			
Weight	11.15 oz/yd2 (378 g/m2)			
Thickness	0.021 in (.53mm)			
Railroadable	No			
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.			
Technical & Quality Data	Visit texstyle.com for full details			
Features	PVC 5 YEAR FREE WARRANTY			
Certifications	CREINCUARD  CREINCUARD  STANDARD  100  9001			

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
063002800DRI	Driftwood	110			
063002800DUN	Dune	110			
063002800PAB	Paperbark	110			
063002800PUM	Pumice	110			
063002800SAN	Sand	110			
063002800SUR	Surf	110			