

TEXSTYLE

2026 Catalog

Collection Index

Solar Screens	3
Verosol High Performance	34
Commercial PVC Free	42
Designer Solids	59
Designer Textures	75
Designer Neutrals	95

Kleenscreen Blackout




ROLLER




PANEL


Kleenscreen Blackout combines the functionality and durability of a typical solar screen with the privacy of a 100% blackout fabric. The unique formulation of the yarn eliminates the need for a blackout coating, thereby keeping the blackout fabric the same on both sides and making it highly suitable for open roll systems. Featuring Sanitized[®], Kleenscreen Blackout inhibits the development of bacterial odors as well as the growth of mold and mildew on your fabric. Easy to weld and easy to clean, Kleenscreen Blackout provides a practical solution for any residential or commercial interior space.




Ice




Barley




Pumice




Alloy



Shale


















Graphite



Black



Technical Information

Composition	25% Polyester, 75% PVC
Openness	Blackout
Width(s)	118" (3m)
30yd/roll (27.4m)	30yd/roll (27.4m)
Weight	16.96oz/yd ² (575 g/m ²)
Thickness	0.027in (.69mm)
Fire Classification	NFPA 701
Fungal/Bacterial Resistance	ASTM E2180 and G21
Railroadable	No
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.
Technical & Quality Data	Visit textstyle.com for full details
Features	         FR LEAD FREE FORMALDEHYDE FREE PHTHALATE FREE FRAGRANCE FREE ANTI-BACTERIAL ENERGY SAVING 10 YEAR WARRANTY PRINTABLE
Certifications	      GREENGUARD EPD hpd OEKO TEX STANDARD 100 14001 9001

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
091003000ICE	Ice	118	
091003000BAR	Barley	118	
091003000PUM	Pumice	118	
091003000ALL	Alloy	118	
091003000SHA	Shale	118	
091003000GRA	Graphite	118	
091003000BLA	Black	118	

Kleenscreen 1%




ROLLER



PANEL


Kleenscreen with Sanitized® Protection inhibits the growth of bacteria, mold and mildew on your fabric. This unique antimicrobial hygiene function enhances the performance of your shades for comfort and peace of mind. Kleenscreen’s performance against solar heat and glare also make this an eco-friendly and cost saving solution for any space.




Pure White




Barley




Alloy




Canyon




Graphite



Ash


















Raven



Black



Technical Information

Composition	26% Polyester, 74% PVC
Openness	1%
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	14.25oz/yd ² (483g/m ²)
Thickness	0.024in (.60mm)
Fire Classification	NFPA 701
Fungal/Bacterial Resistance	ASTM E2180 and G21
Railroadable	No
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.
Technical & Quality Data	Visit textstyle.com for full details
Features	         FR LEAD FREE FORMALDEHYDE FREE PHTHALATE FREE FRAGRANCE FREE ANTI-BACTERIAL ENERGY SAVING 10 YEAR WARRANTY PRINTABLE
Certifications	      GREENGUARD EPD hpd OEKO TEX STANDARD 100 ISO 14001 ISO 9001

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
091012500M16	Barley	98.4	
091012500M18	Black	98.4	
091012500M19	Graphite	98.4	
091012500M36	Pure White	98.4	
091012500M37	Alloy	98.4	
091012500M46	Canyon	98.4	
091012500M47	Raven	98.4	
091012500M49	Ash	98.4	
091013000M16	Barley	118	
091013000M18	Black	118	
091013000M19	Graphite	118	
091013000M36	Pure White	118	
091013000M37	Alloy	118	
091013000M46	Canyon	118	
091013000M47	Raven	118	
091013000M49	Ash	118	

Kleenscreen 3%




ROLLER



PANEL


Kleenscreen with Sanitized® Protection inhibits the growth of bacteria, mold and mildew on your fabric. This unique antimicrobial hygiene function enhances the performance of your shades for comfort and peace of mind. Kleenscreen's performance against solar heat and glare also make this an eco-friendly and cost saving solution for any space.




Pure White




Barley




Alloy




Canyon




Ash



Raven


















Black



Graphite



Technical Information

Composition	26% Polyester, 74% PVC
Openness	3%
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	14.01oz/yd2 (475g/m2)
Thickness	0.022in (.56mm)
Fire Classification	NFPA 701
Fungal/Bacterial Resistance	ASTM E2180 and G21
Railroadable	No
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.
Technical & Quality Data	Visit textstyle.com for full details
Features	         FR LEAD FREE FORMALDEHYDE FREE PHTHALATE FREE FRAGRANCE FREE ANTI-BACTERIAL ENERGY SAVING 10 YEAR WARRANTY PRINTABLE
Certifications	      GREENGUARD EPD hpd OEKO TEX STANDARD 100 ISO 14001 ISO 9001

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
091032500M16	Barley	98.4	
091032500M18	Black	98.4	
091032500M19	Graphite	98.4	
091032500M36	Pure White	98.4	
091032500M37	Alloy	98.4	
091032500M46	Canyon	98.4	
091032500M47	Raven	98.4	
091032500M49	Ash	98.4	
091033000M16	Barley	118	
091033000M18	Black	118	
091033000M19	Graphite	118	
091033000M36	Pure White	118	
091033000M37	Alloy	118	
091033000M46	Canyon	118	
091033000M47	Raven	118	
091033000M49	Ash	118	

Kleenscreen 5%



ROLLER



PANEL


Kleenscreen with Sanitized® Protection inhibits the growth of bacteria, mold and mildew on your fabric. This unique antimicrobial hygiene function enhances the performance of your shades for comfort and peace of mind. Kleenscreen's performance against solar heat and glare also make this an eco-friendly and cost saving solution for any space.




Pure White




Barley




Alloy




Canyon




Ash



Raven


















Black



Graphite



Technical Information

Composition	26% Polyester, 74% PVC
Openness	5%
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	13.12oz/yd2 (445g/m2)
Thickness	0.022in (.56mm)
Fire Classification	NFPA 701
Fungal/Bacterial Resistance	ASTM E2180 and G21
Railroadable	No
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.
Technical & Quality Data	Visit textstyle.com for full details
Features	         FR LEAD FREE FORMALDEHYDE FREE PHTHALATE FREE FRAGRANCE FREE ANTI-BACTERIAL ENERGY SAVING 10 YEAR WARRANTY PRINTABLE
Certifications	      GREENGUARD EPD hpd OEKO TEX STANDARD 100 ISO 14001 ISO 9001

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
091052500M16	Barley	98.4	
091052500M18	Black	98.4	
091052500M19	Graphite	98.4	
091052500M36	Pure White	98.4	
091052500M37	Alloy	98.4	
091052500M46	Canyon	98.4	
091052500M47	Raven	98.4	
091052500M49	Ash	98.4	
091053000M16	Barley	118	
091053000M18	Black	118	
091053000M19	Graphite	118	
091053000M36	Pure White	118	
091053000M37	Alloy	118	
091053000M46	Canyon	118	
091053000M47	Raven	118	
091053000M49	Ash	118	

3000 NET Privacy




ROLLER




PANEL


3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET Privacy is the tightest weave in the offering. Perfect for bedrooms, it offers maximum privacy with limited view-through.




White/White




White/Beige




White/Gray



Charcoal/Charcoal


















Charcoal/Bronze



Charcoal/Gray

Technical Information

Composition	25% Polyester, 75% PVC
Openness	<1% Privacy
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	15.28oz/yd ² (518g/m ²)
Thickness	0.026in (.68mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19, ATSM E84 Fire
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.
Technical & Quality Data	Visit textstyle.com for full details
Features	      
Certifications	       

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
030PR2000N001	White/White	78.7	
030PR2000N002	White/Beige	78.7	
030PR2000N003	White/Gray	78.7	
030PR2500N001	White/White	98.4	
030PR2500N002	White/Beige	98.4	
030PR2500N003	White/Gray	98.4	
030PR2500N901	Charcoal/Charcoal	98.4	
030PR2500N903	Charcoal/Gray	98.4	
030PR3000N001	White/White	118	
030PR3000N002	White/Beige	118	
030PR3000N003	White/Gray	118	
030PR3000N901	Charcoal/Charcoal	118	
030PR3000N902	Charcoal/Bronze	118	
030PR3000N903	Charcoal/Gray	118	

3000 NET 1%




ROLLER




PANEL


3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 1% is a favorite amongst those seeking privacy while still allowing some light to come into the space.




White/White




White/Beige




White/Gray




Beige/Beige




Beige/Gray




Gray/Gray



Charcoal/Charcoal



Charcoal/Bronze



Charcoal/Gray

Technical Information

Composition	25% Polyester, 75% PVC
Openness	1%
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	15.28oz/yd ² (518g/m ²)
Thickness	0.026in (.68mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19, ATSM E84 Fire
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

Technical & Quality Data Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
030012000N001	White/White	78.7	
030012000N002	White/Beige	78.7	
030012000N003	White/Gray	78.7	
030012000N203	Beige/Gray	78.7	
030012000N901	Charcoal/Charcoal	78.7	
030012500N001	White/White	98.4	
030012500N002	White/Beige	98.4	
030012500N003	White/Gray	98.4	
030012500N203	Beige/Gray	98.4	
030012500N301	Gray/Gray	98.4	
030012500N901	Charcoal/Charcoal	98.4	
030012500N902	Charcoal/Bronze	98.4	
030012500N903	Charcoal/Gray	98.4	
030013000N001	White/White	118	
030013000N002	White/Beige	118	
030013000N003	White/Gray	118	
030013000N201	Beige/Beige	118	
030013000N203	Beige/Gray	118	
030013000N301	Gray/Gray	118	
030013000N901	Charcoal/Charcoal	118	
030013000N902	Charcoal/Bronze	118	
030013000N903	Charcoal/Gray	118	

3000 NET 3%




ROLLER



PANEL


3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 3% has quickly become a market leader for those seeking the perfect combination of privacy and natural light.




White/White




White/Beige




White/Gray




Beige/Beige



Beige/Gray




Gray/Gray



Charcoal/Charcoal



Charcoal/Bronze



Charcoal/Gray

Technical Information

Composition	25% Polyester, 75% PVC
Openness	3%
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	13.12oz/yd2 (445g/m2)
Thickness	0.022in (.57mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19, ASTM E84 Fire
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

Technical & Quality Data Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
030032000N001	White/White	78.7	
030032000N002	White/Beige	78.7	
030032000N003	White/Gray	78.7	
030032000N203	Beige/Gray	78.7	
030032000N301	Gray/Gray	78.7	
030032000N901	Charcoal/Charcoal	78.7	
030032000N902*	Charcoal/Bronze	78.7	
030032000N903	Charcoal/Gray	78.7	
030032500N001	White/White	98.4	
030032500N002	White/Beige	98.4	
030032500N003	White/Gray	98.4	
030032500N201	Beige/Beige	98.4	
030032500N203	Beige/Gray	98.4	
030032500N301	Gray/Gray	98.4	
030032500N901	Charcoal/Charcoal	98.4	
030032500N902	Charcoal/Bronze	98.4	
030032500N903	Charcoal/Gray	98.4	
030033000N001	White/White	118	
030033000N002	White/Beige	118	
030033000N003	White/Gray	118	
030033000N201	Beige/Beige	118	
030033000N203	Beige/Gray	118	
030033000N301	Gray/Gray	118	
030033000N901	Charcoal/Charcoal	118	
030033000N902	Charcoal/Bronze	118	
030033000N903	Charcoal/Gray	118	

*Available while supplies last

3000 NET 5%




ROLLER




PANEL


3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 5% is the perfect choice for those looking to preserve the view but also offer a small amount of privacy.




White/White




White/Beige




White/Gray




Beige/Beige




Beige/Sable




Beige/Gray




Gray/Gray




Gray/Dark Gray




Gray/Blue



Charcoal/Charcoal



Charcoal/Bronze



Charcoal/Gray

Technical Information

Composition	25% Polyester, 75% PVC
Openness	5%
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	12.39oz/yd ² (420g/m ²)
Thickness	0.022in (.55mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19, ASTM E84
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

Technical & Quality Data Visit textstyle.com for full details

Features


FR


LEAD FREE


FORMALDEHYDE FREE


PHTHALATE FREE


FRAGRANCE FREE


ANTI-BACTERIAL


LIMITED LIFETIME WARRANTY

Certifications


GREENGUARD GOLD


EPD


HPD


OEKO TEX STANDARD 100


LOW VOC


ISO 14001


ISO 9001


ENERGY IMPROVEMENT

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
030052000N001	White/White	78.7	
030052000N002	White/Beige	78.7	
030052000N003	White/Gray	78.7	
030052000N203	Beige/Gray	78.7	
030052000N902*	Charcoal/Bronze	78.7	
030052500N001	White/White	94.8	
030052500N002	White/Beige	98.4	
030052500N003	White/Gray	98.4	
030052500N201*	Beige/Beige	98.4	
030052500N202	Beige/Sable	98.4	
030052500N203	Beige/Gray	98.4	
030052500N301	Gray/Gray	98.4	
030052500N302	Gray/Dark Gray	98.4	
030052500N304	Gray/Blue	98.4	
030052500N901	Charcoal/Charcoal	98.4	
030052500N902	Charcoal/Bronze	98.4	
030052500N903	Charcoal/Gray	98.4	
030053000N001	White/White	118	
030053000N002	White/Beige	118	
030053000N003	White/Gray	118	
030053000N201	Beige/Beige	118	
030053000N203	Beige/Gray	118	
030053000N301	Gray/Gray	118	
030053000N901	Charcoal/Charcoal	118	
030053000N902	Charcoal/Bronze	118	
030053000N903	Charcoal/Gray	118	

*Available while supplies last

3000 NET 10%




ROLLER




PANEL


3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 10% is the most open in this offering and allows you to take advantage of improved view through.




White/White



White/Beige



White/Gray



Charcoal/Charcoal

Technical Information

Composition	25% Polyester, 75% PVC
Openness	10%
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	11.36oz/yd2 (385g/m2)
Thickness	0.020in (.52mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19, ASTM E84
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

Technical & Quality Data Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
030102500N001	White/White	98.4	
030102500N002	White/Beige	98.4	
030102500N003	White/Gray	98.4	
030102500N901	Charcoal/Charcoal	98.4	
030103000N001	White/White	118	
030103000N002*	White/Beige	118	
030103000N003	White/Gray	118	
030103000N901	Charcoal/Charcoal	118	

*Available while supplies last

4000 NET 3%




ROLLER




PANEL


Similar to our 3000 NET, the 4000 NET 3% fabric brings forth stylish and modern aesthetics with a heavier weight 2x2 basket weave, which is ideal for high traffic and commercial applications.




Dove/Sand




White/White




White/Beige




White/Gray




Charcoal/Charcoal




Charcoal/Bronze



Beige/Gray



Beige/Beige



Dove/Dove

Technical Information

Composition	27% Polyester, 73% PVC
Openness	3%
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	16.07oz/yd ² (545 g/m ²)
Thickness	0.029in (.75mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

Technical & Quality Data Visit textstyle.com for full details

Features


FR


LEAD FREE


FORMALDEHYDE FREE


PHTHALATE FREE


FRAGRANCE FREE


ANTI-BACTERIAL


LIMITED LIFETIME WARRANTY

Certifications

















Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
040032500N001	White/White	98.4	
040032500N002	White/Beige	98.4	
040032500N003	White/Gray	98.4	
040032500N901	Charcoal/Charcoal	98.4	
040032500N902	Charcoal/Bronze	98.4	
040032500NPE2	Dove/Sand	98.4	
040033000N001	White/White	118	
040033000N002	White/Beige	118	
040033000N003	White/Gray	118	
040033000N201	Beige/Beige	118	
040033000N203	Beige/Gray	118	
040033000N901	Charcoal/Charcoal	118	
040033000N902	Charcoal/Bronze	118	
040033000NPE1	Dove/Dove	118	
040033000NPE2	Dove/Sand	118	

4000 NET 5%




ROLLER




PANEL


Similar to our 3000 NET, the 4000 NET 5% fabric brings forth stylish and modern aesthetics with a heavier weight 2x2 basket weave, which is ideal for high traffic and commercial applications.




Dove/Sand



White/White




White/Gray




Beige/Beige




White/Beige




Beige/Gray



Charcoal/Charcoal



Charcoal/Bronze



Charcoal/Gray

Technical Information

Composition	27% Polyester, 73% PVC
Openness	5%
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	15.34oz/yd ² (520g/m ²)
Thickness	0.027in (.70mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

Technical & Quality Data Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
040052500N001	White/White	98.4	
040052500N003	White/Gray	98.4	
040053000N001	White/White	118	
040053000N002	White/Beige	118	
040053000N003	White/Gray	118	
040053000N203	Beige/Gray	118	
040053000N901	Charcoal/Charcoal	118	
040053000N902	Charcoal/Bronze	118	
040053000NPE2	Dove/Sand	118	
040053000N201	Beige/Beige	118	

3000 HT 3%, 5%



ROLLER



PANEL


The broken twill weave of the 3000 HT 3% & 5% offers customers a solution where white is always facing out, giving the fabric superior reflective properties, providing improved heat control without limiting the color of their interior fabric to white.




White/White




White/Beige




White/Light Gray



White/Dim Gray
















White/Bronze



White/Charcoal

Technical Information

Composition	25% Polyester, 75% PVC	25% Polyester, 75% PVC
Openness	3%	5%
Width(s)	98.4" (2.5m)	98.4" (2.5m)
Length	33 yd/roll (30m)	33 yd/roll (30m)
Weight	12.24oz/yd2 (415 g/m2)	11.65oz/yd2 (395 g/m2)
Thickness	0.024in (.60mm)	0.026in (.66mm)
Fire Classification	NFPA 701, M2, BS 5867 Type B, CA Title 19	
Fungal/Bacterial Resistance	ASTM E2180, G21, G22	
Railroadable	No	
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.	
Technical & Quality Data	Visit textstyle.com for full details	
Features	       FR LEAD FREE FORMALDEHYDE FREE PHTHALATE FREE FRAGRANCE FREE ANTI-BACTERIAL LIMITED LIFETIME WARRANTY	
Certifications	      GREENGUARD EPD hpd OEKO TEX STANDARD 100 14001 9001	

3000 HT 3%

Code	Color	Fabric Width (in)	Price per Lin. Yd.
030032500HT01	White/White	98.4	
030032500HT02	White/Beige	98.4	
030032500HT03	White/Lt Gray	98.4	
030032500HT04	White/Dim Gray	98.4	
030032500HT08	White/Bronze	98.4	
030032500HT09	White/Charcoal	98.4	

3000 HT 5%

Code	Color	Fabric Width (in)	Price per Lin. Yd.
030052500HT01	White/White	98.4	
030052500HT02	White/Beige	98.4	
030052500HT03	White/Lt Gray	98.4	
030052500HT04	White/Dim Gray	98.4	
030052500HT08	White/Bronze	98.4	
030052500HT09	White/Charcoal	98.4	

4700 P




ROLLER














PANEL

The 4700 P series is one of our heaviest fabrics and offers an openness factor of less than 1%, making it the perfect choice when maximum privacy is desired.



White/Beige

Technical Information

	4700 P
Composition	20% Polyester, 80% PVC
Openness	<1%
Width(s)	98.4" (2.5m)
Length	33 yd/roll (30m)
Weight	18.58oz/yd ² (630g/m ²)
Thickness	0.035in (.90mm)
Fire Classification	NFPA 701, M2, BS 5867 Type B, CA Title 19
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	No
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.
Technical & Quality Data	Visit textstyle.com for full details
Features	       FR LEAD FREE FORMALDEHYDE FREE PHTHALATE FREE FRAGRANCE FREE ANTI-BACTERIAL LIMITED LIFETIME WARRANTY
Certifications	    GREENGUARD OEKO TEX [®] ISO 14001 ISO 9001

Product Codes and Pricing

4700 P

Code	Color	Fabric Width (in)	Price per Lin. Yd.
047012500P012	White/Beige/Beige	98.4	



Specialty Fabrics

Offering 300+ specialty designed
fabrics for residential and commercial
applications.

X-Weave 5%, 10%



ROLLER




PANEL




ZIP SYSTEMS


Designed for both exterior and interior spaces, X-Weave is available in 5% and 10% openness and is a heavy duty 2x2 basket weave that makes durability and versatility its strongest characteristics. It's fire retardant finish grants usage in both commercial and residential settings. This fabric is also insect proof and pairs beautifully with our Zipscreen system. Availability in 126" roll widths combined with the ability to be railroaded makes this a preferred fabric selection for large window applications.




White




Sunrise




Sand




Fossil




Stone Gray




Graphite




Slate



Sunset



Mahogany



Obsidian



Onyx

Technical Information

Composition	30% Polyester, 70% PVC	30% Polyester, 70% PVC
Openness	5%	10%
Width(s)	126" (3.2m)	126" (3.2m)
Length	22 yd/roll (20m)	22 yd/roll (30m)
Weight	15.63oz/yd2 (530g/m2)	13.86oz/yd2 (470g/m2)
Thickness	0.032in (.82mm)	0.027in (.68mm)
Fire Classification	NFPA 701	
Fungal/Bacterial Resistance	ASTM E2149, ASTM G21	
Railroadable	Yes	
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.	

Technical & Quality Data Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

X-Weave 5%

Code	Color	Fabric Width (in)	Price per Lin. Yd.
066003200GRA	Graphite	126	
066003200MAH	Mahogany	126	
066003200ONY	Onyx	126	
066003200SAN	Sand	126	
066003200SLA	Slate	126	
066003200STO	Stone Gray	126	
066003200OBS	Obsidian	126	
066003200WHI	White	126	
066003200RIS	Sunrise	126	
066003200FOS	Fossil	126	
066003200SUN	Sunset	126	

X-Weave 10%

Code	Color	Fabric Width (in)	Price per Lin. Yd.
066103200GRA	Graphite	126	
066103200MAH	Mahogany	126	
066103200ONY	Onyx	126	
066103200SAN	Sand	126	
066103200SLA	Slate	126	
066103200STO	Stone Gray	126	
066103200OBS	Obsidian	126	
066103200WHI	White	126	
066103200RIS	Sunrise	126	
066103200FOS	Fossil	126	
066103200SUN	Sunset	126	

X-Weave Zero



ROLLER




PANEL




ZIP SYSTEMS


X-Weave Zero is a 100% view-blocking exterior solar screen, delivering total privacy. Built to withstand harsh outdoor conditions, this fabric is water-resistant, insect-resistant, and heat-reducing, ensuring year-round comfort for patios, pergolas, facades, and commercial spaces. With certifications like Greenguard Gold and EPD, X-Weave Zero supports sustainable building standards while enhancing solar protection and energy efficiency. At 126 inches in width, X-Weave Zero is the ultimate shading solution for modern outdoor living and large-scale architectural projects.




White




Sunrise



Sand



Fossil




Stone Gray




Graphite




Slate




Sunset



Mahogany



Obsidian



Onyx

Technical Information

Composition	30% Polyester, 70% PVC
Openness	0%
Width(s)	126" (3.2m)
Length	22 yd/roll (20m)
Weight	19.17oz/yd2 (650g/m2)
Thickness	0.033in (.85mm +/-5%)
Fire Classification	NFPA 701
Fungal/Bacterial Resistance	ASTM G21 ASTM E2149
Railroadable	Yes, for side tensioned systems only
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

Technical & Quality Data Visit textstyle.com for full details

Features


FR


LEAD FREE


FORMALDEHYDE FREE


PHTHALATE FREE


ENERGY SAVING


FRAGRANCE FREE


ANTI-BACTERIAL


10 YEAR WARRANTY


INSECT RESISTANT

Certifications


GREENGUARD


EPD®


OEKO TEX®
STANDARD 100


ISO 14001


ISO 9001

Product Codes and Pricing

X-Weave 0%

Code	Color	Fabric Width (in)	Price per Lin. Yd.
066303200GRA	Graphite	126	
066303200MAH	Mahogany	126	
066303200ONY	Onyx	126	
066303200SAN	Sand	126	
066303200SLA	Slate	126	
066303200STO	Stone Gray	126	
066303200OBS	Obsidian	126	
066303200WHI	White	126	
066303200RIS	Sunrise	126	
066303200FOS	Fossil	126	
066303200SUN	Sunset	126	

SilverScreen 2%




ROLLER




PANEL


SilverScreen is a metalized interior solar shade fabric that is available in 2% and 4% openness factors. The secret of its superior and outstanding performance lies in its construction. Backed with an ultra-fine layer of aluminum, SilverScreen is the highest performing screen in the market, dramatically improving solar energy control, while demonstrating an excellent view through with glare control.




White




Beige



Light Gray



Steel Gray














Dark Gray



Black

Technical Information

Composition	36% Fiberglass, 64% PVC with Aluminum back
Openness	2%
Width(s)	110" (2.8m)
Length	33 yd/roll (30m)
Weight	11.8 oz/yd ² (400g/m ²)
Thickness	0.020 in (.50mm)
Fire Classification	NFPA 701, NFP 92503 specification M1, BS 5867 Part 2 Type B, CA Title 19
Railroadable	No
Cleaning	Lightly vacuum to remove surface dust.
Technical & Quality Data	Visit textstyle.com for full details
Features	 FR  LEAD FREE  FORMALDEHYDE FREE  FRAGRANCE FREE  10 YEAR WARRANTY
Certification	 GREENGUARD GOLD  EPD®  hpd  OEKO TEX®  ISO 14001  ISO 9001

Product Codes and Pricing

Code	Color	Width (in)	Price per lin. yd
010022800ED01	White	110	
010022800ED02	Beige	110	
010022800ED03	Lt Gray	110	
010022800EC02	Steel Gray	110	
010022800EB02	Dark Gray	110	
010022800EB01*	Black	110	

* Available while supplies last

SilverScreen 4%




ROLLER




PANEL


SilverScreen is a metalized interior solar shade fabric that is available in 2% and 4% openness factors. The secret of its superior and outstanding performance lies in its construction. Backed with an ultra-fine layer of aluminum, SilverScreen is the highest performing screen in the market, dramatically improving solar energy control, while demonstrating an excellent view through with glare control.




White




Beige




Light Gray




Misty Gray



Steel Gray



Chocolate Brown



Dark Gray

Technical Information

Composition	36% Fiberglass, 64% PVC with Aluminum back
Openness	4%
Width(s)	94.5" (2.4m)
Length	33 yd/roll (30m)
Weight	11.8 oz/yd ² (400g/m ²)
Thickness	0.020 in (.50mm)
Fire Classification	NFPA 701, NFP 92503 specification M1, BS 5867 Part 2 Type B, CA Title 19
Railroadable	No
Cleaning	Lightly vacuum to remove surface dust.
Technical & Quality Data	Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
010042400ED01	White	94.5	
010042400ED02	Beige	94.5	
010042400ED03	Light Gray	94.5	
010042400EC01*	Misty Gray	94.5	
010042400EC02	Steel Gray	94.5	
010042400EB02	Dark Gray	94.5	
010042400EB04*	Chocolate Brown	94.5	

* Available while supplies last

OmniaScreen




ROLLER




PANEL


Placed at an attractive price point, the aluminum backed 2x2 basket weave solar screen has a 3% openness, perfect for enhancing any living and working atmosphere.




White/White



White/Beige




White/Gray



Charcoal/Charcoal














Charcoal/Bronze



Charcoal/Dark Gray

Technical Information

Composition	25% Polyester, 75% PVC with Aluminum back
Openness	3%
Width(s)	110" (2.8m)
Length	33 yd/roll (30m)
Weight	13.27 oz/yd ² (450 g/m ²)
Thickness	0.022 in (.55mm)
Fire Classification	NFPA 701, CA Title 19, UK BS 5867 Part 2, French M1
Railroadable	Yes
Cleaning	Lightly vacuum to remove surface dust.
Technical & Quality Data	Visit textstyle.com for full details
Features	     FR LEAD FREE FORMALDEHYDE FREE FRAGRANCE FREE 10 YEAR WARRANTY
Certifications	      GREENGUARD GOLD EPD hpj OEKO TEX STANDARD 100 ISO 14001 ISO 9001

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
010032800N001	White/White	110	
010032800N002	White/Beige	110	
010032800N003	White/Gray	110	
010032800N901	Charcoal/Charcoal	110	
010032800N902	Charcoal/Bronze	110	
010032800N904	Charcoal/Dark Gray	110	

EnviroScreen




ROLLER




PANEL

EnviroScreen is a metalized PVC free fabric used in roller and panel track applications for both commercial and residential environmentally focused projects. Its highly reflective aluminum backing provides superior thermal and visual comfort in any space, yielding substantial energy savings, and creating a uniform exterior appearance. This desirable specialty weave is available in an appealing neutral color palette with a 2% openness factor.


For projects looking to maximize on green requirements, EnviroScreen is Cradle to Cradle certified, LBC Red List Compliant, and carries additional certifications necessary to claim points in green building rating tools such as LEED, Green Star, BREEAM, and more.




Tan



Steel Gray



Dark Gray



Black

Technical Information

Composition	100% Polyester with Aluminum back
Openness	2%
Width(s)	94.5" (2.4m)
Length	44 yd/roll (40m)
Weight	7.37 oz/yd2 (250g/m2)
Thickness	0.020 in (.50mm)
Fire Classification	NFPA 701, DIN410 B1, AS 1530_2, BS5867 Part 2, CA Title 19
Railroadable	No
Cleaning	Lightly vacuum to remove surface dust.
Technical & Quality Data	Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
0110022400765*	Tan	94.5	
0110022400936*	Steel Gray	94.5	
0110022400998*	Dark Gray	94.5	
0110022400829*	Black	94.5	

* Available while supplies last

Ambient Edge 1%

New Collection!



ROLLER




PANEL


Ambient Edge is a PVC-free, light-filtering solar screen fabric with a textured, design-forward look for modern interiors. Available in 1% and 3% openness, it delivers controlled light filtration while reducing glare and solar heat gain to help support HVAC efficiency. It comes in seven colours and features a lighter-weight construction, making it well suited to larger and motorized shade applications. Cradle to Cradle Certified®, Ambient Edge reflects a considered approach to material health and environmental responsibility.




Asphalt




Canvas




Chalk




Graphite



Mist



Smoke



Snow

Technical Information

Composition	100% Polyester
Openness	1%
Width(s)	118" (3m)
Length	32.8 yd/roll (30m)
Weight	6.78 oz/yd2 (230 g/m2), 6.72 oz/yd2 (228 g/m2)
Thickness	0.02 in (.54mm)
Fire Classification	NFPA 701
Railroadable	No
Cutting	Knife, Ultrasonic
Welding	Tape Recommended
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Do not soak, do not use other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
024013000ASP	Asphalt	118	
024013000CAN	Canvas	118	
024013000CHA	Chalk	118	
024013000GRA	Graphite	118	
024013000MIS	Mist	118	
024013000SMO	Smoke	118	
024013000SNO	Snow	118	

Ambient Edge 3%

New Collection!



ROLLER




PANEL


Ambient Edge is a PVC-free, light-filtering solar screen fabric with a textured, design-forward look for modern interiors. Available in 1% and 3% openness, it delivers controlled light filtration while reducing glare and solar heat gain to help support HVAC efficiency. It comes in seven colours and features a lighter-weight construction, making it well suited to larger and motorized shade applications. Cradle to Cradle Certified®, Ambient Edge reflects a considered approach to material health and environmental responsibility.




Asphalt




Canvas




Chalk




Graphite



Mist



Smoke



Snow

Technical Information

Composition	100% Polyester
Openness	3%
Width(s)	118" (3m)
Length	32.8 yd/roll (30m)
Weight	6.78 oz/yd2 (230 g/m2), 6.72 oz/yd2 (228 g/m2)
Thickness	0.02 in (.54mm)
Fire Classification	NFPA 701
Railroadable	No
Cutting	Knife, Ultrasonic
Welding	Tape Recommended
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Do not soak, do not use other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
024033000ASP	Asphalt	118	
024033000CAN	Canvas	118	
024033000CHA	Chalk	118	
024033000GRA	Graphite	118	
024033000MIS	Mist	118	
024033000SMO	Smoke	118	
024033000SNO	Snow	118	

Ambient Renew 1%



ROLLER



PANEL


Ambient Renew is an eco-friendly PVC Free solar screen fabric made of 85% recycled Repreve® polyester and available in 1% and 5% openness factors. It is designed to behave similarly to a traditional solar screen but without the PVC. Select Ambient Renew for your commercial or residential space when you're looking to minimize your impact on the environment while maximizing solar control and durability. It's compliance to the Living Building Challenge Red List makes this fabric the optimal choice for more demanding projects.




White/White




White/Beige



White/Smoke




White/Gray




Gray/Gray



Smoke/Smoke



Black/Blue



Black/Smoke



Black/Gray



Black/Coffee



Black/Black

Technical Information

Composition	100% Polyester (85% Recycled REPREVE® Polyester)
Openness	1%
Width(s)	118" (3m)
Length	33 yd/roll (30m)
Weight	11.80 oz/yd ² (400 g/m ²)
Thickness	0.02 in (.54mm)
Fire Classification	NFPA 701, CA Title 19
Railroadable	Yes
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
021013000R001	White/White	118	
021013000R002	White/Beige	118	
021013000R003	White/Smoke	118	
021013000R004	White/Gray	118	
021013000R303*	Smoke/Smoke	118	
021013000R404*	Gray/Gray	118	
021013000R503*	Black/Smoke	118	
021013000R504*	Black/Gray	118	
021013000R505	Black/Black	118	
021013000R506*	Black/Coffee	118	
021013000R507*	Black/Blue	118	

* Available while supplies last

Ambient Renew 5%



ROLLER



PANEL


Ambient Renew is an eco-friendly PVC Free solar screen fabric made of 85% recycled Repreve® polyester and available in 1% and 5% openness factors. It is designed to behave similarly to a traditional solar screen but without the PVC. Select Ambient Renew for your commercial or residential space when you're looking to minimize your impact on the environment while maximizing solar control and durability. It's compliance to the Living Building Challenge Red List makes this fabric the optimal choice for more demanding projects.




White/White




White/ Beige




White/Smoke




White/Gray




Gray/Gray



Black/Smoke




Black/Blue



Black/Smoke



Black/Gray



Black/Coffee



Technical Information

Composition	100% Polyester (85% Recycled REPREVE® Polyester)
Openness	5%
Width(s)	118" (3m)
Length	33 yd/roll (30m)
Weight	9.0 oz/yd ² (305 g/m ²)
Thickness	.01 in (.48mm)
Fire Classification	NFPA 701, CA Title 19
Railroadable	Yes
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
021053000R001	White/White	118	
021053000R002	White/Beige	118	
021053000R003	White/Smoke	118	
021053000R004	White/Gray	118	
021053000R303*	Smoke/Smoke	118	
021053000R404*	Gray/Gray	118	
021053000R503*	Black/Smoke	118	
021053000R504*	Black/Gray	118	
021053000R505	Black/Black	118	
021053000R506*	Black/Coffee	118	
021053000R507*	Black/Blue	118	

* Available while supplies last



Check out the Texstyle Visualizer

Simulate how different fabrics will look in the real world, ensuring you make the optimal selection for your next shading project.

Explore | [Texstyle.com](https://www.texstyle.com)



Mesa Light Filtering



ROLLER




PANEL




ROMAN

The cosmopolitan fabric, Mesa Light Filtering, is ideal for commercial and residential applications to allow light in while maintaining privacy. Made from 100% polyester, Mesa Light Filtering is PVC-free, and offers a high-quality, soft appearance that will add beauty to any room.


Mesa Light Filtering is available in five soft, neutral colors and matches perfectly with Mesa Blackout.




Dove White




Ice Gray



Quill



Nougat



Moonstone

Technical Information

Composition	100% Polyester
Openness	Light Filtering
Width(s)	118" (3m)
Length	27.5 yd/roll (25m)
Weight	6.93 oz/yd2 (235g/m2)
Thickness	0.019 in (.48mm)
Fire Classification	NFPA 701, CA Title 19, ASTM E84 Class A
Railroadable	No
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
06101300DOV	Dove White	118	
06101300ICE	Ice Gray	118	
06101300MOO	Moonstone	118	
06101300NOU	Nougat	118	
06101300QUI	Quill	118	

Mesa Blackout



ROLLER



PANEL



ROMAN


The cosmopolitan fabric, Mesa blackout, is ideal for commercial and residential applications that require total light blockage and privacy. Made from 100% polyester with an acrylic coating, Mesa is PVC-free, offering a high-quality, soft appearance that will add beauty to a room while providing privacy. Match Mesa blackout to Mesa light filtering or the 3000 NET solar screen series. Dove White is ideal for digital printing, with pre-established HP Digital Latex print profiles for a seamless setup.




Dove White




Ice Gray




Quill



Seal



Dune




Nougat




Pearl



White




Moonstone




Mist



Slate















Storm



Black

Technical Information

Composition	100% Polyester with Acrylic Foam Coating
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	9.4 oz/yd ² (320g/m ²)
Thickness	0.019 in (.47mm)
Fire Classification	NFPA 701, CA Title 19, CAN/ULC-S109, ASTM E84 Class A
Railroadable	No
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit textstyle.com for full details
Features	     
Certifications	      

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
061003000DOV	Dove White	118	
061003000WHI	White	118	
061003000PEA	Pearl	118	
061003000SEA	Seal	118	
061003000SLA	Slate	118	
061003000BLA	Black	118	
061003000DUN	Dune	118	
061003000ICE	Ice Gray	118	
061003000MIS	Mist	118	
061003000MOO	Moonstone	118	
061003000NOU	Nouagt	118	
061003000QUI	Quill	118	
061003000STO	Storm	118	

Mesa Façade Blackout



ROLLER



PANEL




ROMAN


Using the same Mesa Blackout quality you know and love, Mesa Façade Blackout offers four colors with a charcoal back. The facade blending back color helps your shades disappear from street view and is ideal for open roll systems that use a dark front blackout color. Tuxedo Façade is also available with pre-established HP Digital Latex print profile for seamless setup.



Tuxedo Façade



Slate Façade



Storm Façade



Black Façade

Technical Information

Composition	100% Polyester with Acrylic Foam Coating
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	12.09 oz/yd2 (410g/m2)
Thickness	0.019 in (.47mm)
Fire Classification	NFPA 701, CA Title 19, CAN/ULC-S109, ASTM E84 Class A
Railroadable	No
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
061003000TUX	Tuxedo Façade	118	
061003000SLAF	Slate Façade	118	
061003000STOF	Storm Façade	118	
061003000BLAF	Black Façade	118	

Vasso Blackout

New Collection!




ROLLER




PANEL


Vasso Blackout is a durable commercial fabric made from 100% polyester for total privacy and reliable performance in today’s most demanding environments. It balances functionality with a refined, modern look, offering the durability needed for high traffic spaces while maintaining a clean, professional finish with seven neutral colors and a pure white backing.




Concrete




Granite




Onyx



Pearl



Sable



Sand



White

Technical Information

Composition	100% Polyester with Acrylic Backing
Openness	Blackout
Width(s)	118" (3m)
Length	30 yd/roll (27m)
Weight	10.18 oz/yd2 (345g/m2)
Thickness	0.014 in (.35mm)
Fire Classification	NFPA 701
Railroadable	No
Cutting	Knife, Ultrasonic
Welding	Tape Recommended
Cleaning	Lightly vaccum or wipe with dry cloth to remove dust. Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
068003000CON	Concrete	118	
068003000GRA	Granite	118	
068003000ONY	Onyx	118	
068003000PEA	Pearl	118	
068003000SAB	Sable	118	
068003000SAN	Sand	118	
068003000WHI	White	118	

Tempe Blackout




ROLLER




PANEL

Tempe blackout fabric is made from 100% polyester with an acrylic coating. Perfectly block light and enhance privacy with this off-white backed PVC-free, economical and environmentally friendly fabric.




Polar




Linen




Almond



Cloud



Desert













Espresso



Ebony

Technical Information

Composition	100% Polyester with Acrylic Coating
Openness	Blackout
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	11.8 oz/yd ² (400 g/m ²)
Thickness	0.012 in (.40mm)
Fire Classification	NFPA 701, CA Title 19
Railroadable	No
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit textstyle.com for full details
Features	 FR  PVC FREE  LEAD FREE  PHTHALATE FREE  FRAGRANCE FREE  10 YEAR WARRANTY
Certifications	 GREENGUARD  EPD  hpd  LOW VOC

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
062002500ALM*	Almond	98.4	
062002500CLO*	Cloud	98.4	
062002500EBO*	Ebony	98.4	
062002500ESP*	Espresso	98.4	
062002500POL	Polar	98.4	
062003000ALM*	Almond	118	
062003000CLO*	Cloud	118	
062003000EBO*	Ebony	118	
062003000ESP*	Espresso	118	

* Available while supplies last

Chateau Light Filtering

New Collection!



ROLLER



PANEL



ROMAN

Crafted for today’s residential spaces, Chateau delivers a refined aesthetic with features that go far beyond the basics. Its soft light-filtering weave offers near-total privacy while gently diffusing natural light—ideal for bedrooms, bathrooms, and open-plan living. With superior fade resistance, eco-conscious certifications, and a wide 118” format that eliminates seaming, Chateau is as functional as it is beautiful. Available in seven curated shades, each with a color-matched backing for cohesive curb appeal, Chateau is the essential fabric for modern living.




Porcelain



Gypsum




Amber Dust




Canyon



Castlerock












Thunderstone



Ebony

Technical Information

Composition	100% Polyester
Openness	Private (<1%)
Width(s)	118" (3m)
Length	33 yd/roll (30m)
Weight	6.19 oz/yd ² (210 g/m ²)
Thickness	0.012 in (.30mm)
Railroadable	Yes
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Gently wipe clean with damp sponge. Do not soak. Avoid solvents or test them in inconspicuous area first
Technical & Quality Data	Visit textstyle.com for full details
Features	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> PVC FREE</div> <div style="text-align: center;"> LEAD FREE</div> <div style="text-align: center;"> PHTHALATE FREE</div> <div style="text-align: center;"> FRAGRANCE FREE</div> <div style="text-align: center;"> FORMALDEHYDE FREE</div> <div style="text-align: center;"> PRINTABLE</div> </div>
Certifications	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> OEKO TEX STANDARD 100</div> <div style="text-align: center;"> ISO 9001</div> <div style="text-align: center;"> 5 YEAR WARRANTY</div> </div>

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
022003000AMB	Amber Dust	118	
022003000CAN	Canyon	118	
022003000CAS	Castlerock	118	
022003000EBO	Ebony	118	
022003000GYP	Gypsum	118	
022003000POR	Porcelain	118	
022003000THU	Thunderstone	118	

Chateau Blackout

New Collection!



ROLLER



PANEL




ROMAN

Crafted for today’s residential spaces, Chateau delivers a refined aesthetic with features that go far beyond the basics. Its soft light-filtering weave offers near-total privacy while gently diffusing natural light—ideal for bedrooms, bathrooms, and open-plan living. With superior fade resistance, eco-conscious certifications, and a wide 118” format that eliminates seaming, Chateau is as functional as it is beautiful. Available in seven curated shades, each with a color-matched backing for cohesive curb appeal, Chateau is the essential fabric for modern living.




Porcelain



Gypsum




Amber Dust




Canyon



Castlerock











Thunderstone



Ebony

Technical Information

Composition	100% Polyester
Openness	Blackout
Width(s)	118" (3m)
Length	33 yd/roll (30m)
Weight	10.03 oz/yd ² (340 g/m ²)
Thickness	0.018 in (.45mm)
Railroadable	Yes
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Gently wipe clean with damp sponge. Do not soak. Avoid solvents or test them in inconspicuous area first
Technical & Quality Data	Visit textstyle.com for full details
Features	     PVC FREE LEAD FREE PHTHALATE FREE FRAGRANCE FREE FORMALDEHYDE FREE
Certifications	   STANDARD 100 9001 5 YEAR WARRANTY

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price Per Lin. Yd.
022013000AMB	Amber Dust	118	
022013000CAN	Canyon	118	
022013000CAS	Castlerock	118	
022013000EBO	Ebony	118	
022013000GYF	Gypsum	118	
022013000POR	Porcelain	118	
022013000THU	Thunderstone	118	

Sanctuary Light Filtering



ROLLER



PANEL



ROMAN

Inspired by the organic textures of nature, the Sanctuary collection is a defining aesthetic, available in 11 exceptional matching light filtering and blackout colors. Its unique three-dimensional pattern is available in a 118" width and will provide the competitive edge you have been looking for. Suitably designed for roller, roman and panel blinds, Sanctuary will transform and bring your interior space to life.



Plaster



Marble



Limestone



Ceramic



Truffle



Fossil



Suede



Mineral



Slate










Baltic



Lava

Technical Information

Composition	100% Polyester
Openness	Light Filtering Approximately 3%
Width(s)	118" (3m)
Length	27.5 yd/roll (25m)
Weight	6.05 oz/yd2 (205 g/m2)
Thickness	0.016 in (.40 mm)
Railroadable	No
Cleaning	Surface dust can be removed with vacuum or a soft cloth.
Technical & Quality Data	Visit textstyle.com for full details
Features	   PVC FREE 5 YEAR WARRANTY PRINTABLE
Certifications	   

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
058013000PLA	Plaster	118	
058013000MAR	Marble	118	
058013000LIM	Limestone	118	
058013000CER	Ceramic	118	
058013000TRU	Truffe	118	
058013000FOS	Fossil	118	
058013000SUE	Suede	118	
058013000MIN	Mineral	118	
058013000SLA	Slate	118	
058013000BAL	Baltic	118	
058013000LAV	Lava	118	

Sanctuary Blackout



ROLLER



PANEL




ROMAN


Inspired by the organic textures of nature, the Sanctuary collection is a defining aesthetic, available in 11 exceptional matching light filtering and blackout colors. Its unique three-dimensional pattern is available in a 118" width and will provide the competitive edge you have been looking for. Suitably designed for roller, roman and panel blinds, Sanctuary will transform and bring your interior space to life.



Plaster



Marble



Limestone



Ceramic



Truffle



Fossil



Suede



Mineral



Slate



Baltic



Lava

Technical Information

Composition	100% Polyester with Acrylic Foam Coating
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	12.68 oz/yd ² (430 g/m ²)
Thickness	0.024 in (0.60 mm)
Railroadable	No
Cleaning	Surface dust can be removed with vacuum or a soft cloth.
Technical & Quality Data	Visit textstyle.com for full details
Features	 PVC FREE  5 YEAR WARRANTY  PRINTABLE
Certifications	 GREENGUARD GOLD  OEKO TEX STANDARD 100  ISO 9001  HDP  EPD®

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
058003000PLA	Plaster	118	
058003000MAR	Marble	118	
058003000LIM	Limestone	118	
058003000CER	Ceramic	118	
058003000TRU	Truffle	118	
058003000FOS	Fossil	118	
058003000SUE	Suede	118	
058003000MIN	Mineral	118	
058003000SLA	Slate	118	
058003000BAL	Baltic	118	
058003000LAV	Lava	118	

Verona



ROLLER



PANEL

Verona is a high quality, versatile, light filtering solid and is available in a wide variety of contemporary colors, making it an excellent choice for any room.




White



Vanilla



Natural



Sand




Shadow



Light Gray




Light Blue



Stone



Blue Gray



Teal







Navy Blue



Noir

Technical Information

Composition	100% Polyester
Openness	Light Filtering Approximately 1%
Width(s)	92.5" (2.35m) Select colors also available in 78.7"
Length	44 yd/roll (40m)
Weight	5.31 oz/yd2 (180 g/m2)
Thickness	0.016 in (.40mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details
Features	   <p>PVC FREE 5 YEAR WARRANTY PRINTABLE</p>
Certifications	 <p>OEKO TEX[®] STANDARD 100</p>

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per lin. yd
07330654105091	Vanilla	78.7	
07330654105107	White	78.7	
07330654108733	Natural	78.7	
07330654246497	Light Gray	78.7	
07330654246503	Stone	78.7	
07330654596820	Navy Blue	92.5	
07330654596837	Light Blue	92.5	
07330654596851	Blue Gray	92.5	
07330654596721	Natural	92.5	
07330654602552	Slate	92.5	
07330654596844	Teal	92.5	
07330654596769	Light Gray	92.5	
07330654596776	Stone	92.5	
07330654596783	Shadow	92.5	
07330654596790	Sand	92.5	
07330654595533	Vanilla	92.5	
07330654596691	White	92.5	
07330654596714	Noir	92.5	

Milano




ROLLER



PANEL

Milano is a cost-effective light-filtering solution which is available in a wide variety of colors. It's closed weave allows you to maintain privacy in your space while still allowing soothing natural light to come in. It's matching blackout, Torino, allows you to mix and match opacities within your space. Versatile and attractively priced, Milano is perfect for any room.



Rice White




Pearl



Oatmeal



Dark Cream




Harvest



Pale Gray



Light Gray



Gray



Dark Chocolate



Dark Blue



Charcoal

Technical Information

Composition	100% Polyester
Openness	Light Filtering Approximately 0%
Width(s)	78.7" (2m) & 92.5" (2.35m)
Length	44 yd/roll (40m)
Weight	5.01 oz/yd2 (170 g/m2)
Thickness	0.016 in (.40mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
07330654373698	Rice White	78.7	
07330654373865	Pearl	78.7	
07330654375821	Pale Gray	78.7	
07330654551690	Light Gray	78.7	
07330654373872	Gray	78.7	
07330654373957	Dark Chocolate	78.7	
07330654373759	Dark Blue	78.7	
07330654373704	Charcoal	78.7	
07330654373681	Oatmeal	78.7	
07330654373889	Dark Cream	78.7	
07330654375838	Harvest	78.7	
07330654453406	Rice White	92.5	

Torino Blackout




ROLLER



PANEL

Torino is a cost-effective blackout fabric which is available in a wide variety of colors. It's matching Light Filtering counterpart, Milano, allows you to mix and match opacities within your space. Versatile and attractively priced, Torino is perfect for any room.



Rice White




Pearl




Oatmeal




Pale Gray



Harvest



Light Gray




Gray



Dark Chocolate




Dark Blue



Black

Technical Information

Composition	100% Polyester
Openness	Blackout
Width(s)	78.7" (2m) & 92.5" (2.35m)
Length	27 yd/roll (25m) 22 yd/roll (20m).
Weight	8.55/10.32 oz/yd ² (290/350 g/m ²)
Thickness	0.020 in (.50mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details
Features	  <p>PVC FREE 5 YEAR WARRANTY</p>
Certifications	 <p>OEKO TEX[®] STANDARD 100</p>

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
07330654373988	Rice White	78.7	
07330654373995	Black	78.7	
07330654375845	Pale Gray	78.7	
07330654374145	Gray	78.7	
07330654373971	Oatmeal	78.7	
07330654375852	Harvest	78.7	
07330654612124*	Dark Chocolate	92.5	
07330654612063	Light Gray	92.5	
07330654426318	Rice White	92.5	
07330654564706	Black	92.5	
07330654564683	Pale Gray	92.5	
07330654564690	Gray	92.5	
07330654564669	Oatmeal	92.5	
07330654564652	Pearl	92.5	
07330654596875	Dark Blue	92.5	
07330654564676	Harvest	92.5	

*Available while supplies last

Panama




ROLLER






PANEL

Although not a blackout fabric, Panama is a privacy-oriented solution; letting some light through while blocking exterior view through. Panama is a versatile textured solid that adds visual interest to the shade.



White

Technical Information

Composition	100% Polyester
Openness	Light Filtering Approximately 0%
Width(s)	92.5" (2.35m)
Length	33 yd/roll (30m)
Weight	8.26 oz/yd2 (280 g/m2)
Thickness	0.016 in (.40mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details
Features	  PVC FREE 5 YEAR WARRANTY
Certifications	 OEKO TEX STANDARD 100

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
07330654608776	White	92.5	

Tusk Light Filtering



ROLLER



PANEL



ROMAN

From textured earth tones to the rich, warm colors of weathered sandstone cliffs, Tusk provides comfort and harmony to every space. Tusk is available in both Light Filtering and Blackout with a color matched back, making it ideal for open roll shade systems.



Whisper




Coconut




Beach



Pepper



Mushroom



Henna



Hazelnut



Slate

Technical Information

Composition	100% Polyester
Openness	Light Filtering Approximately 1%
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	5 oz/yd2 (170 g/m2)
Thickness	0.012 in (.30mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
059003000WHI	Whisper	118	
059003000COC	Coconut	118	
059003000BEA	Beach	118	
059003000PEP	Pepper	118	
059003000MUS	Mushroom	118	
059003000HEN	Henna	118	
059003000HAZ	Hazelnut	118	
059003000SLA	Slate	118	

Tusk Blackout



ROLLER



PANEL



ROMAN

From textured earth tones to the rich, warm colors of weathered sandstone cliffs, Tusk provides comfort and harmony to every space. Tusk is available in both Light Filtering and Blackout with a color matched back, making it ideal for open roll shade systems.



Whisper




Coconut




Beach



Pepper



Mushroom



Henna



Hazelnut



Slate

Technical Information

Composition	100% Polyester
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	10.62 oz/yd2 (360 g/m2)
Thickness	0.017 in (.43mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details

Features



Certifications



Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
0591003000WHI	Whisper	118	
0591003000COC	Coconut	118	
0591003000BEA	Beach	118	
0591003000PEP	Pepper	118	
0591003000MUS	Mushroom	118	
0591003000HEN	Henna	118	
0591003000HAZ	Hazelnut	118	
0591003000SLA	Slate	118	

Chambray




ROLLER



PANEL

A simple geometric print, Chambray introduces pattern in a calming manner.



White/White

Stickan



ROLLER






PANEL

Stickan introduces a varied vertical stripe, lengthening the window and adding visual appeal. It's ability to be railroaded also allows for the stripe to run horizontally on the window if desired.



White/White

Technical Information

	Chambray	Stickan
Composition	100% Polyester	100% Polyester
Openness	Light Filtering Approximately 1%	Light Filtering Approximately 1%
Width(s)	78.7" (2m)	78.7" (2m)
Length	44 yd/roll (40m)	44 yd/roll (40m)
Weight	5.31 oz/yd ² (180 g/m ²)	5.31 oz/yd ² (180 g/m ²)
Thickness	0.016 in (.40mm)	0.016 in (.40mm)
Railroadable	Yes	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.	
Technical & Quality Data	Visit textstyle.com for full details	
Features	  PVC FREE 5 YEAR WARRANTY	
Certifications		

Product Codes and Pricing

Chambray

Code	Color	Fabric Width (in)	Price per Lin. Yd.
07330654440260	White/White	78.7	

Stickan

Code	Color	Fabric Width (in)	Price per Lin. Yd.
07330654163114	White/White	78.7	

Chenille



ROLLER






PANEL

Created using a puff paint, the striped pattern on Chenille adds dimensional interest to the window shade.



White

Technical Information

Composition	100% Polyester
Openness	Light Filtering Approximately 1%
Width(s)	78.7" (2m)
Length	44 yd/roll (40m)
Weight	4.42 oz/yd2 (150 g/m2)
Thickness	0.026 in (.65mm)
Railroadable	Yes, pattern direction will change
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details
Features	  PVC FREE 5 YEAR WARRANTY
Certifications	

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
07330654267409	White	78.7	

Mandal



ROLLER



PANEL

Made of recycled polyester, Mandal is eye catching and environmentally friendly. The tonal texture adds a natural design aesthetic to the window and the fabric can be railroaded allowing the texture to run either vertically or horizontally on the window.






Pebble



Dark Blue

Technical Information

Composition	100% Recycled Polyester
Openness	Light Filtering Approximately 3%
Width(s)	78.7" (2m)
Length	44 yd/roll (40m)
Weight	3.83 oz/yd2 (130 g/m2)
Thickness	0.012 in (.30mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details
Features	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>PVC FREE</p> </div> <div style="text-align: center;">  <p>5 YEAR WARRANTY</p> </div> <div style="text-align: center;">  <p>RECYCLED CONTENT</p> </div> </div>
Certifications	 <p>OEKO TEX® STANDARD 100</p>

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
07330654613206*	Dark Blue	78.7	
07330654437055*	Pebble	78.7	

*Available while supplies last

Karuna



ROLLER




PANEL

Made of recycled polyester, Karuna's open weave adds sophistication and a natural appearance to any room.



Snow




Beige




Light Gray



Tan



Dark Gray



Black

Technical Information

Composition	100% Recycled Polyester
Openness	Transparent Approximately 16%
Width(s)	78.7" (2m)
Length	44 yd/roll (40m)
Weight	5.60 oz/yd2 (190 g/m2)
Thickness	0.022 in (.55mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details
Features	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>PVC FREE</p> </div> <div style="text-align: center;">  <p>5 YEAR WARRANTY</p> </div> <div style="text-align: center;">  <p>RECYCLED CONTENT</p> </div> </div>
Certifications	 <p>OEKO TEX® STANDARD 100</p>

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
07330654612353*	Gray	78.7	
07330654612360*	Dark Gray	78.7	
07330654612407*	Tan	78.7	
07330654424659	Beige	78.7	
07330654424628	Snow	78.7	
07330654424604*	Black	78.7	

*Available while supplies last

Balmoral Light Filtering



ROLLER



PANEL



ROMAN

The Balmoral collection offers the complete styling solution with pure elegance and a premium design aesthetic. Available in 13 exceptionally matched colors, privacy is achieved in all light conditions.




White



Pearl



Birch



Putty




Concrete




Dove




Pyrite



Bourneville



Steel




Jet



Armour









Platinum



Chrome

Technical Information

Composition	100% Polyester
Openness	Light Filtering Approximately 6%
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	6.49 oz/yd2 (220 g/m2)
Thickness	0.022 in (.55mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details
Features	   PVC FREE 5 YEAR WARRANTY PRINTABLE
Certifications	    

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
064003000BIR	Birch	118	
064003000BOU	Bourneville	118	
064003000CON	Concrete	118	
064003000DOV	Dove	118	
064003000JET	Jet	118	
064003000PEA	Pearl	118	
064003000PUT	Putty	118	
064003000PYR	Pyrite	118	
064003000STE	Steel	118	
064003000WHI	White	118	
064003000ARM	Armour	118	
064003000CHR	Chrome	118	
064003000PLA	Platinum	118	

Balmoral Blackout



ROLLER



PANEL



ROMAN

The Balmoral collection offers the complete styling solution with pure elegance and a premium design aesthetic. Available in 13 exceptionally matched colors, privacy is achieved in all light conditions.



White




Pearl



Birch



Putty




Concrete




Dove



Pyrite



Bourneville



Steel




Jet



Armour







Platinum



Chrome

Technical Information

Composition	100% Polyester with Acrylic Foam Backing
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	11.50oz/yd2 (390 g/m2)
Thickness	0.023in (.60mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details
Features	   PVC FREE 5 YEAR WARRANTY PRINTABLE
Certifications	    

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
065003000BIR	Birch	118	
065003000BOU	Bourneville	118	
065003000CON	Concrete	118	
065003000DOV	Dove	118	
065003000JET	Jet	118	
065003000PEA	Pearl	118	
065003000PUT	Putty	118	
065003000PYR	Pyrite	118	
065003000STE	Steel	118	
065003000WHI	White	118	
065003000ARM	Armour	118	
065003000CHR	Chrome	118	
065003000PLA	Platinum	118	

Jersey Light Filtering



ROLLER



PANEL




ROMAN


Delicate yarns intricately woven give rise to Jersey, a fabric collection inspired by more traditional textile design methods. Simple yet sophisticated, the Jersey color palette complements a broad spectrum of decors and interior spaces.



Opal




Organic



Stone




Render



Timber








Pavement



Steel

Technical Information

Composition	100% Polyester
Openness	Light Filtering Approximately 10%
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	7.67 oz/yd2 (260g/m2)
Thickness	0.025 in (0.63mm)
Railroadable	No
Cleaning	Surface dust can be removed with vacuum or a soft cloth
Technical & Quality Data	Visit textstyle.com for full details
Features	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>PVC FREE</p> </div> <div style="text-align: center;">  <p>5 YEAR WARRANTY</p> </div> <div style="text-align: center;">  <p>FRAGRANCE FREE</p> </div> </div>
Certifications	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>GREENGUARD GOLD</p> </div> <div style="text-align: center;">  <p>OEKO TEX STANDARD 100</p> </div> </div>

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
0540030000PA	Opal	118	
0540030000ORG	Organic	118	
0540030000PAV	Pavement	118	
0540030000REN	Render	118	
0540030000STE	Steel	118	
0540030000STO	Stone	118	
0540030000TIM	Timber	118	

Jersey Blackout



ROLLER




PANEL



ROMAN


Delicate yarns intricately woven give rise to Jersey, a fabric collection inspired by more traditional textile design methods. Simple yet sophisticated, the Jersey color palette complements a broad spectrum of decors and interior spaces.



Organic



Opal



Stone




Render



Timber








Pavement



Steel

Technical Information

Composition	100% Polyester
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	13.27 oz/yd ² (450g/m ²)
Thickness	0.028 in (0.72mm)
Railroadable	No
Cleaning	Surface dust can be removed with vacuum or a soft cloth
Technical & Quality Data	Visit textstyle.com for full details
Features	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>PVC FREE</p> </div> <div style="text-align: center;">  <p>5 YEAR WARRANTY</p> </div> <div style="text-align: center;">  <p>FRAGRANCE FREE</p> </div> </div>
Certifications	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>GREENGUARD GOLD</p> </div> <div style="text-align: center;">  <p>OEKO TEX STANDARD 100</p> </div> </div>

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
053003000OPA	Opal	118	
053003000ORG	Organic	118	
053003000PAV	Pavement	118	
053003000REN	Render	118	
053003000STE	Steel	118	
053003000STO	Stone	118	
053003000TIM	Timber	118	

Trento




ROLLER






PANEL

A simple pattern with broad appeal, Trento introduces a truly natural aesthetic to your space by using 100% natural fibers and slub yarns.



White

Technical Information

Composition	100% Cotton
Openness	Light Filtering Approximately 0%
Width(s)	78.7" (2m)
Length	27 yd/roll (25m)
Weight	9.14 oz/yd ² (310 g/m ²)
Thickness	0.024 in (.60mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details
Features	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>PVC FREE</p> </div> <div style="text-align: center;">  <p>5 YEAR WARRANTY</p> </div> <div style="text-align: center;">  <p>OEKO TEX® STANDARD 100</p> </div> </div>

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per lin. yd
07330654108115	White	78.7	



Globally Sourced

Sourcing from some of the best mills in the world. Texstyle is devoted to offering only the highest quality fabrics.

Avesta Light Filtering



ROLLER



PANEL

Avesta light filtering boasts an intricate weave with a neutral color palette incorporating the colors of nature.



Natural

Avesta Blackout




ROLLER






PANEL

Avesta blackout boasts an intricate weave with a neutral color palette incorporating the colors of nature.



Natural

Technical Information

	Avesta	Avesta Blackout
Composition	40% Viscose, 23% Polyester, 20% Cotton, 17% Flax	40% Viscose, 23% Polyester, 20% Cotton, 17% Flax with Acrylic Coating
Openness	Light Filtering Approximately 1%	Blackout
Width(s)	80.7" (2.05m)	80.7" (2.05m)
Length	27 yd/roll (25m)	22 yd/roll (20m)
Weight	10.91 oz/yd ² (370 g/m ²)	14.75 oz/yd ² (500 g/m ²)
Thickness	0.029 in (.75mm)	0.035 in (.90mm)
Railroadable	Yes, pattern direction will change.	Yes, pattern direction will change.
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.	
Technical & Quality Data	Visit texstyle.com for full details	
Features	  	

Product Codes and Pricing

Avesta

Code	Color	Fabric Width (in)	Price per Lin. Yd.
07330654307402	Natural	80.7	

Avesta Blackout

Code	Color	Fabric Width (in)	Price per Lin. Yd.
07330654329930	Natural	80.7	

Vista Blackout



ROLLER



PANEL



ROMAN

Vista is a sophisticated blackout coated jacquard fabric. With a complex weave construction, Vista offers a real three-dimensional appearance, with a color palette designed to compliment any interior.



Surf



Sand



Pumice



Dune








Paperbark



Driftwood

Technical Information

Composition	100% Polyester
Openness	Blackout
Width(s)	110" (2.8m)
Length	28 yd/roll (25m)
Weight	11.15 oz/yd ² (378 g/m ²)
Thickness	0.021 in (.53mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit textstyle.com for full details
Features	  PVC FREE 5 YEAR WARRANTY
Certifications	  

Product Codes and Pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.
063002800DRI	Driftwood	110	
063002800DUN	Dune	110	
063002800PAB	Paperbark	110	
063002800PUM	Pumice	110	
063002800SAN	Sand	110	
063002800SUR	Surf	110	