



AUTOMATE[™] PULSE 2

Designed in California and made to be seen, the second generation of the Pulse hub allows for further customization with the introduction of additional room, scene and timer icons to select from.

The new hub boasts native sunset and sunrise technology. Shades will raise or lower based on location to allow precise and automatic shade control.

With built-in Wi-Fi or the option of a LAN connection, the Pulse 2 quickly connects to the home's network to unlock the luxury of automated shade control.

Automate Pulse 2 offers more integrations than ever before. Experience voice-activated shade control via Google Assistant, Amazon Alexa and now Apple Homekit with Siri.



AUTOMATE PULSE 2 APP

The Automate Pulse 2 App enables sophisticated shade control straight from any iOS or Android smart phone or tablet.

Utilize the Automate Pulse 2 App to group shades by room or scene, establish custom schedules and set timers for convenient and efficient shade control.



POWERED BY ARC

ARC[™] (Automate Radio Communication) is Rollease Acmeda's proprietary, bi-directional communication technology that brings the Automate motorized shade systems together. ARC communicates the status of shade positioning and battery health straight to the Automate Pulse 2 App.





VOICE CONTROL

Utilizing voice commands, operating Automate controlled shades is now more convenient than ever.

Automate takes advantage of native integration for shade control with Apple HomeKit & Siri, Google Home & Assistant and Amazon Alexa. The "native" control responds to the user's naturally-spoken language for shade operation and does not require any additional set-up.

Alternatively, shades can be synchronized with smart devices and actions with IFTTT.

HOME AUTOMATION SYSTEMS



The Pulse 2 Hub bridges integration between Automate motors and the most popular whole home automation systems. Integrations can be made over Wi-Fi or through a standard networking cable into the Pulse 2's RJ45 plug.



AUTOMATE PUSH 5 REMOTE

1

2

3

4

5

ALL

.

•

.

The cutting-edge design of the new Automate Push5 remote control is modern, simple and functional.



Available in gloss white or matte black finish, the Push 5 features a tactile button layout to improve usability.







AUTOMATE PARADIGM REMOTES & WALL SWITCHES

Automate Paradigm wall switches and hand-held remotes feature 15 channels within a contemporary design. The Paradigm wall switches are wireless, making installation simple for fixed controllers.



SOLAR POWERED ARC WIND, LIGHT & RAIN SENSOR

The solar-powered ARC Wind, Sun & Rain Sensor naturally reacts to the elements to automatically open or close an awning, always providing a comfortable external environment or protection of the awning.

INDOOR SUN SENSOR

Automate light sensors automatically manage shade control according to sunlight at each window, minimizing reliance on and costs of artificial light.

ARC REPEATER

The Automate ARC repeater increases the wireless range between the remotes or the Automate pulse hub by 40m.











AUTOMATE SOLAR PANEL

With its smaller design and improved performance in low light, the new Automate Solar Panel offers an energy efficient upgrade for the entire Automate Wire-Free Li-ion range of motors and battery packs.



AUTOMATE WIRE-FREE LI-ION MOTORS

Automate's core motor line, the Wire-Free Li-ion, utilizes state of the art rechargeable lithium-ion battery technology. No wires mean an easy upgrade for existing shades without the need of an electrician.



Automate Wire-Free Li-ion 1.1 12V, 1.1Nm, Ø25mm,20-40RPM, 19.87in long



Automate Wire-Free Li-ion SW1.1 12V, 1.1Nm, Ø25mm, 40RPM, 17.56in long



Automate Wire-Free Li-ion Q2 12V, 2.0Nm, Ø28mm, 20-28RPM, 25.60in long



Automate Wire-Free Li-ion 3.0 12V, 3.0Nm, Ø35mm, 20-28PRM, 33.41in long

Automate Wire-Free Li-ion Q3 12V, 3.0Nm, Ø45mm, 20-28PRM, 32.04in long



Automate Wire-Free Li-ion Q10 12V, 10.0Nm, Ø45mm, 9-5RPM, 32.04in long

		1.1	SW1.1	Q2.0	3.0	Q30	Q10.0
CONT	Pulse	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark
CONTROLLERS	Paradigm Controllers	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark
ŝ	Push 5 Remote	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark
	Wall Switch	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark
	Surface Mount	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark
	Dry Contact Input Module	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark
	Internal Sun Sensor	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark
	Arc Repeater	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark







AUTOMATE DC POWER DISTRIBUTION PANEL

The Automate DC Power Distribution Panel provides power for up to 18 individual Automate DC motors, eliminating the need for individual power adapters. While also supporting cable runs of up to 1771.65 feet, this is the complete, hardwired solution for motors that require speed control and quiet operation in narrow applications.

AUTOMATE DC MOTORS

Automate DC motors are an excellent choice for motorizing shades in the residential space or for light commercial projects.

The Automate DC Tubular Motors connect with low voltage cables, so a certified electrician is not required for set-up, therefore keeping installation costs to a minimum.

With variable speed settings, the Automate DC Motors can be adjusted to a slower, quieter speed to suit the unique needs of each space.



Automate DC 1.1 12V, 1.1Nm, Ø25mm, 20-40RPM, 11.76in long




Automate DC Q2.0 12V, 2.0Nm, Ø28mm, 20-28RPM, 17.21in long



Automate DC 3 12V, 3.0Nm, Ø35mm, 20-28RPM, 18.07in long



Automate DC Q3 12V, 3.0Nm, Ø45mm, 20-28RPM, 27.70in long



		1.1	Q2.0	3.0	Q3.0	Q10.0
CONT	Pulse	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
CONTROLLERS	Paradigm Controllers	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
õ	Push 5 Remote	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
	Wall Switch	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
	Surface Mount	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
	Dry Contact Input Module	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
	Internal Sun Sensor	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
	Arc Repeater	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark





AUTOMATE AC MOTORS Automate AC powered motorized shades are a great choice for homes with very large windows and awnings as well as larger commercial applications. With lifting capacities up to 133 pounds and run times up to 4 minutes, Automate AC motors provide the power required to operate the larger, longer shades.



Automate ACRF 6 110-120 A/C, 6.0Nm, Ø35mm, 33RPM, 22.78in long



Automate ACRF Q6 110-120 A/C, 6.0Nm, Ø35mm, 24RPM, 21.18in long



Automate ACRF Q10 110-120 A/C, 10.0Nm, Ø45mm, 21RPM, 29.74in long



Automate ACRF 15 110-120 A/C, 15.0Nm, Ø45mm, 32RPM, 25.81in long

		15	6	Q6	Q10
CONT	Pulse	\checkmark	\checkmark	\checkmark	\checkmark
CONTROLLERS	Paradigm Controllers	\checkmark	\checkmark	\checkmark	\checkmark
ίΩ.	Push 5 Remote	\checkmark	\checkmark	\checkmark	\checkmark
	Wall Switch	\checkmark	\checkmark	\checkmark	\checkmark
	Surface Mount	\checkmark	\checkmark	\checkmark	\checkmark
	Dry Contact Input Module	\checkmark	\checkmark	\checkmark	\checkmark
	Internal Sun Sensor	\checkmark	\checkmark	\checkmark	\checkmark
	Arc Repeater	\checkmark	\checkmark	\checkmark	\checkmark



AUTOMATE ML MOTORS

Automate ML range offers high performance mechanical limit motors, compatible with our shade hardware systems and building automation system controllers.



Automate ACML 6 110-120 A/C, 6.0Nm, Ø35mm, 33RPM, 20.04in long



Automate ACML Q10 110-120 A/C, 10.0Nm, Ø45mm, 21RPM, 27.70in long



Automate ACML Q6 110-120 A/C, 6.0Nm, Ø35mm, 24RPM, 22.01in long



Automate ACML 20 110-120 A/C, 20.0Nm, Ø45mm, 32RPM, 25.74in long







		FT15
CONTI	Pulse	\checkmark
CONTROLLERS	Paradigm Controllers	\checkmark
ŝ	Push 5 Remote	\checkmark
	Wall Switch	\checkmark
	Surface Mount	\checkmark
	Dry Contact Input Module	\checkmark
	Internal Sun Sensor	\checkmark
	Arc Repeater	\checkmark
	Wind, Light and Rain Sensor	\checkmark

AUTOMATE EXTERIOR MOTORS

The Automate FT15 has been tailored for Rollease Acmeda's Zipscreen and External Wire Guide systems. When used with Rollease Acmeda's Ultra-Lock V2, a simple touch will activate the FT15 motor to automatically close, lock and tension the blind for increased stability and ease of use.



Automate FT15 110-120 A/C, 15.0Nm, Ø45mm, 32RPM, 26.19in long





AUTOMATE DRAPERY MOTORS

The Automate Drapery motors feature a stand-out "soft touch" technology. A gentle pull on the fabric will initiate movement to automatically open or close the curtain. Our new and improved Versa motor boasts interchangeable power sources and versatile mounting to ensure a luxurious elegant finish for your drapes.

		C1.2	VERSA
CONT	Pulse	\checkmark	\checkmark
CONTROLLERS	Paradigm Controllers	\checkmark	\checkmark
ŝ	Push 5 Remote	\checkmark	\checkmark
	Wall Switch	\checkmark	\checkmark
	Surface Mount	\checkmark	\checkmark
	Dry Contact Input Module	\checkmark	\checkmark
	Internal Sun Sensor	\checkmark	\checkmark
	Arc Repeater	\checkmark	\checkmark





Automate C1.2 110-240 A/C, 1.2Nm, 80-120RPM, 13.18in long

Automate Versa Drapery Li-ion Battery powered (Options for A/C adapters) 120 RPM, 12.83in long

		CL0.6	CL0.8
CONT	Pulse	\checkmark	\checkmark
CONTROLLERS	Paradigm Controllers	\checkmark	\checkmark
õ	Push 5 Remote	\checkmark	\checkmark
	Wall Switch	\checkmark	\checkmark
	Surface Mount	\checkmark	\checkmark
	Dry Contact Input Module	\checkmark	\checkmark
	Internal Sun Sensor	\checkmark	\checkmark
	Arc Repeater	\checkmark	\checkmark

AUTOMATE CORD LIFT MOTORS

Automate Cord Lift motors enable motorization of a variety of cellular and roman shade applications.

The CL 0.6 features a single output shaft, for placement at the end of a head-rail. The CL 0.8 features dual output shafts, for placement anywhere in the head-rail.



Automate CL 0.6 12V, 0.6Nm, Ø24mm, 34-50RPM, 5.15in long



Automate CL 0.8 12V, 0.8Nm, Ø24mm, 45RPM, 7.59in long







		VT1.0	CORE
CONTI	Pulse	\checkmark	\checkmark
CONTROLLERS	Paradigm Controllers	\checkmark	\checkmark
ίΩ.	Push 5 Remote	\checkmark	\checkmark
	Wall Switch	\checkmark	\checkmark
	Surface Mount	\checkmark	\checkmark
	Dry Contact Input Module	\checkmark	\checkmark
	Internal Sun Sensor	\checkmark	\checkmark
	Arc Repeater	\checkmark	\checkmark

AUTOMATE TILT MOTORS

The Automate tilt motors enables motorization of Venetian Blinds with both low and high profile head-rails. With adjustable speeds and automation configuration available through the Automate Pulse 2 app, users can optimize an environment's daylight throughout each day. The Core Tilt motor gives users the flexibility of manual wand control or motorized operation.



Automate VT 1.0 Tilt 12V, 1.0Nm, 6-12RPM, 3.78in long

Automate Core Tilt 8.4V, 0.6Nm, 10RPM, 3.78in long



CHERISH YOUR SHINING LIGHT

The best window coverings balance fashion and function. They bring warmth to a living space, offer perspective into the world around and help keep us safe and secure.

Automate shades eliminate any physical operating cords, creating a child and pet safe environment. They offer comfort and convenience with automation to suit your lifestyle - letting light in when you want it and providing privacy when you need it while ensuring the ones we care about most are protected from harm.







Find us on social media with: GROLLEASEACMEDA

© 2020 Copyright Rollease Acmeda Group